

601 12th Street | Phenix City, AL 36867

Ph: 334-448-2760 | Fx: 334-291-4848

DR. R. GRIFF GORDY Mayor Pro Tem / At Large

STEVE BAILEY Councilmember District 1 **EDDIE N. LOWE** Mayor

VICKEY CARTER JOHNSON Councilmember District 2

ARTHUR L. DAY, JR. Councilmember District 3

WALLACE B. HUNTER, City Manager MELONY LEE, City Clerk ANGEL MOORE, P.E., City Engineer Director of Engineering / Director of Public Works

VIA ELECTRONIC SUBMITTAL

May 31, 2022

Alabama Department of Environmental Management Stormwater Management Branch Attn: Cammie Ashmore P. O. Box 301463 Montgomery, AL 36130-1463

Re: 2021-2022 Annual Storm Water Report

Ms. Ashmore:

Please find attached the Storm Water Management Program Annual Report for the City of Phenix City, Alabama.

If you have any questions, please do not hesitate to contact my office.

Sincerely,

Angel Moore, P.E. City Engineer

Cc: File





Storm Water Management Program Annual Report

City of Phenix City, Alabama

Individual Phase II MS4

NPDES Permit No. ALR040019



April 1, 2021 - March 31, 2022



Individual Phase II MS4 NPDES Permit No. ALR040019

Table of Contents

1.0	Introd	duction	1
1.1	Phe	enix City MS4 Area	1
1.2	Hy	drologic Units in the Urbanized Area	1
1.3	Wa	ter Quality Concerns	2
1.	.3.1.1	Mill Creek	3
1.4	Anı	nual Report Components	3
2.0	Conta	acts List	4
3.0	Progr	am Evaluation	5
3.1	Ma	jor Accomplishments	5
3.	.1.1	Continued High Participation in Municipal Training	5
3.	.1.2	Progress in Identifying Priority Areas	5
3.	.1.3	Continued Stream-Walking Program	5
3.	.1.4	Annual Post Construction Inspection	6
3.	.1.5	Continued Storm Water Monitoring	6
3.	.1.6	Steps toward agreement with the Chattahoochee River Conservancy	6
3.	.1.7	Reduction in Pollutants	6
3.	.1.8	Upgrades to Efficiency	7
3.	.1.9	Phase II MS4 Permit Renewal	7
3.	.1.10	SWMPP and IDDE updates	7
3.	.1.11	Stormwater and Erosion Control Coordinator	7
3.	.1.12	Stormwater Monthly Meetings	7
3.	.1.13 Pı	re-construction Inspections	8
3.2	Ove	erall Program Strengths/Weaknesses	8
3.3	Fut	ure Direction of the Program	9
4.0	Agen	cy Certification	10

Individual Phase II MS4 NPDES Permit No. ALR040019

List of Tables

Table 1-1: Hydrologic Hierarchy	1
Table 1-2: Subwatersheds in the Phenix City MS4	
Table 1-3: Previously Impaired Waterbody Segments in the Urbanized Area	
Table 2-1: City Departments and Responsible Individuals	4

Appendices

Appendix I – Figures

Appendix II – Supporting Documents

Appendix III – Construction Forms

Individual Phase II MS4 NPDES Permit No. ALR040019

1.0 Introduction

The Annual Report is required by Part VI of the Alabama Department of Environmental Management (ADEM) National Pollutant Discharge Elimination System (NPDES) Individual Permit ALR040019 for discharges from the City of Phenix City Municipal Separate Storm Sewer System (MS4).

1.1 Phenix City MS4 Area

The City of Phenix City is located in southeast Alabama within the *Columbus, Georgia – Alabama Urbanized Area*. The Phenix City MS4 comprises approximately 18.63 square miles (11,923 acres). The City limits encompass an area of approximately 27.75 square miles (17,760 acres).

According to the United States Census Bureau, the 2020 Census results for Phenix City, Alabama is 38,816 with a population density of 1,398.77 people per square mile.

1.2 Hydrologic Units in the Urbanized Area

The Chattahoochee River is the primary receiving water for the Phenix City MS4. Hydrologic hierarchy, watersheds, and subwatersheds are provided in the tables below.

Table 1-1: Hydrologic Hierarchy

	Hydrologic Unit Code (HUC)*	Name
REGION	03	South Atlantic-Gulf
SUBREGION	0313	Apalachicola
BASIN	031300	Apalachicola
SUBBASIN	03130002	Middle Chattahoochee-Lake Harding
SUBBASIN	03130003	Middle Chattahoochee-Walter F. George
WATERSHED	033000213	Standing Boy Creek – Chattahoochee River
WATERSHED	0313000303	Bull Creek – Chattahoochee River
WATERSHED	0313000304	Little Uchee Creek
WATERSHED	0313000305	Uchee Creek

Individual Phase II MS4 NPDES Permit No. ALR040019

Table 1-2: Subwatersheds in the Phenix City MS4

SUBWATERSHEDS	HUC*	TOTAL AREA (Acres)
Soap Creek – Chattahoochee River	031300021306	28,506
Holland Creek – Mill Creek	031300030301	15,729
Moon Lake – Chattahoochee River	031300030304	6,931
Cochgalechee Creek	031300030305	8,172
Broken Arrow Creek – Chattahoochee River	031300030306	20,243
Lower Little Uchee Creek	031300030403	36,752
Cowpen Creek – Uchee Creek	031300030505	20,248

^{* -} These HUCs were found on the USGS Website, "Science in Your Watershed"

1.3 Water Quality Concerns

Section 303(d) of the Clean Water Act (CWA), as amended by the Water Quality Act of 1987, and EPA's Water Quality Planning and Management Regulations (40 CFR 130) require states to identify waterbodies not in compliance with the water quality standards applicable to their designated use classifications. The identified waters are prioritized based on severity of the pollution. Section 303(d) then requires that Total Maximum Daily Loads (TMDLs) be determined for all pollutants causing violation of applicable water quality standards in each identified segment. The TMDL process establishes the allowable loading of pollutants, or other quantifiable parameters for a waterbody, based on the relationship between pollution sources and in-stream water quality conditions.

As mentioned in Section 1.2, the Chattahoochee River is the primary receiving water for the Phenix City MS4. ADEM had previously identified an impaired stream within the City, and although Mill Creek has been removed from the Final 2018 Alabama 303(d) list, the City continues to perform water monitoring at this time and assess the condition of said stream. The following table summarizes the previously found impairments for Mill Creek.

Table 1-3: Previously Impaired Waterbody Segments in the Urbanized Area

ASSESSMENT UNIT ID	WATERBODY NAME	USES	CAUSES	SOURCES
AL03130003-0101-100	Mill Creek	Fish & Wildlife	Organic Enrichment (CBOD,NBOD)	Urban development

EST. 1883 PABAMA

Storm Water Management Program Annual Report City of Phenix City, Alabama

Individual Phase II MS4 NPDES Permit No. ALR040019

1.3.1.1 Mill Creek

According to ADEM's 2016 303(d) list, Mill Creek was identified as being impaired in 2006. Mill Creek originates in Smiths Station and flows in a southeast direction towards Phenix City. The creek discharges into Holland Creek which flows through the City and discharges into the Chattahoochee River. The confluence is near the Phenix City Riverwalk directly below the Chattahoochee River Whitewater Park. Mill Creek is approximately 9.93 miles long and the previous impairment was listed for the entire length of the creek. The Holland Creek - Mill Creek subwatershed is approximately 15,729 acres in size and is highly urbanized with many subdivisions and ongoing construction activities.

Sources of organic enrichment from potential sources within the Holland Creek - Mill Creek subwatershed include:

- Failing septic systems
- Municipal storm water runoff
- Fecal matter from pets and wildlife
- Fertilizer application / yard waste

Part IV.D of the NPDES General Permit requires that the Storm Water Management Program Plan (SWMPP) include Best Management Practices (BMPs) and control measures specifically targeted to control discharges of pollutants associated with the impairment. The SWMPP must also include a monitoring program for parameters attributed to the 303(d) listed impairment.

As stated above, Mill Creek has been removed from the Alabama 303(d) list as of the 2018 list. No other impaired streams are located within the Phenix City MS4.

1.4 Annual Report Components

Part VI of the NPDES General Permit requires that the City of Phenix City develop and submit an Annual Report that reflect activities from April 1, 2021 through March 31, 2022 and include the following:

- 1. List of contacts and responsible parties for the participation of the Annual Report.
- 2. Evaluation of the SWMPP development and progress for the following:
 - a. Major accomplishments
 - b. Overall program strengths and weaknesses
 - c. Future direction of the program
 - d. Overall determination of the effectiveness of the SWMPP to water quality/watershed improvements
 - e. Measurable goals that were not performed and reasons why
 - f. Evaluation of monitoring data
- 3. Measurable goals for each of the five minimum control measures.
 - a. Minimum control measures completed and in progress;
 - b. An assessment of whether or not the existing BMPs are appropriate; and
 - c. Proposed changes to the SWMPP, including changes to the BMPs or measurable goals.



Individual Phase II MS4 NPDES Permit No. ALR040019

- 4. Summary table of storm water controls planned for the upcoming year.
- 5. Progress toward reducing the discharge of pollutants to the maximum extent practicable.
- 6. Notice of reliance of another entity to satisfy some of the City's permit obligations, if any.
- 7. Results of the evaluation to determine if discharges from the City's MS4 directly or indirectly contributes to any waterbody on the 303(d) list, designated by the ADEM as impaired, or for which a TMDL has been established or approved by the EPA.
- 8. Monitoring data for the previous year, if required under Part V of the permit.

2.0 Contacts List

Part VI.4.a of the NPDES Permit requires that the City of Phenix City provide a list of contacts and responsible parties involved in the preparation of the Annual Report. The City of Phenix City Engineering Department, Mayor's office, and City Manager's office are collectively responsible for the coordination and implementation of the City's Annual Report. The individuals responsible for the coordination and implementation of the Annual Report are provided in the table below. Coordination between City Departments may be specified in each section of the 2021-2022 Annual Report. Questions concerning the 2021-2022 Annual Report should be directed to the Engineering Department.

Table 2-1: City Departments and Responsible Individuals

DEPARTMENT	CONTACT	PHONE NO.	EMAIL
Mayor's Office	Mayor Eddie N. Lowe	334-448-2701	elowe@phenixcityal.us
City Manager's Office	Wallace B. Hunter	334-448-2701	whunter@phenixcityal.us
Engineering Department	Angel Moore, P.E., City Engineer, Director of Engineering and Public Works	334-448-2760	amoore@phenixcityal.us
Engineering Department	Michael Pattillo, Assistant Director of Engineering and Public Works	334-448-2760	mpattillo@phenixcityal.us
Engineering Department	Jonathan Foster, Stormwater and Erosion Control Coordinator	334-448-2768	jfoster@phenixcityal.us

Individual Phase II MS4 NPDES Permit No. ALR040019

3.0 Program Evaluation

3.1 Major Accomplishments

3.1.1 Continued High Participation in Municipal Training

The City has an annual training program for municipal employees with a focus on pollution prevention, good housekeeping, illicit discharge identification, and other threats to the quality of storm water. A total of 51 employees of the City of Phenix City attended annual training this year held at the Martin Idle Hour Park Community Center. A copy of the sign in sheets and pictures of these training sessions can be found in **Appendix 2**.

3.1.2 Progress in Identifying Priority Areas

During the 2021-2022 reporting period, the City increased efforts in identifying priority areas through the stream walking program and through the continued development and adjustment of Illicit Discharge Potential (IDP) scores and calculations for each subwatershed. An Illicit Discharge Potential (IDP) Chart with scores for each delineated subwatershed has been included along with a list of Potential Generating Sites (PGS) from the EPA ECHO database. Maps showing subwatersheds, City sanitary sewer, and the locations of Potential Generating Sites have also been included in this report. These maps are part of our GIS compendium and can be provided with more detail upon request. The City will continue to maintain these scores and will adjust as necessary for accuracy.

The City had previously used the phrase "drainage basin" to identify areas in the City and MS4 that are more accurately conveyed by the word "subwatershed." From now on in reporting, the City will use the word "subwatersheds," as outlined in Table 1-2 above, to convey information regarding IDP scores in those subwatersheds and other relevant information.

3.1.3 Continued Stream-Walking Program

City personnel from the Engineering Department are developing and conducting a stream-walking program within the City limits. During the initial phase of the program, the City will continue to locate and identify outfalls and any illicit connections and discharges contributing pollutants into streams and/or the City's storm drainage system.

The City met its 2021-2022 reporting period goal of identifying outfalls. Forty-five outfalls were inspected and/or verified and a dry weather screening was conducted at each outfall. The City's outfall total is 345. No illicit discharges or connections were observed during screening.

Storm Water Management Program Annual Report City of Phenix City, Alabama

Individual Phase II MS4 NPDES Permit No. ALR040019

3.1.4 Annual Post Construction Inspection

Each year the City performs annual inspections on post construction controls (detention ponds) to ensure that post construction BMPs are being maintained by the owners and are functioning as designed. Letters are then sent to the owner or responsible parties detailing any corrections or maintenance that will be needed. Follow up inspections are performed to ensure that items are addressed. This year annual inspections were made at 108 detention ponds.

3.1.5 Continued Storm Water Monitoring

The City's monitoring program assesses the effectiveness of the control measures and BMPs in reducing impacts from organic enrichment in Mill Creek. The intent of the monitoring program is to provide sufficient data for evaluation as to whether or not the quality of the receiving waters are sustaining or improving as a result of the control measures and BMPs. The City currently has 4 monitoring locations along Mill Creek and Holland Creek.

During the 2021-2022 reporting period, the City also recorded storm water rainfalls for 24 hour rain events. A total of 55.9" of rain was recorded for the reporting year.

3.1.6 Steps toward agreement with the Chattahoochee River Conservancy

During the 2020-2021 reporting period, the City of Phenix City entered into a discussion with the Chattahoochee River Conservancy acknowledging terms to an agreement to help clean Phenix City tributaries to the Chattahoochee River. Proposed trash traps have been installed, maintained and operated in Mill and Holland Creek by the volunteers of the Chattahoochee River Conservancy.

3.1.7 Reduction in Pollutants

Phenix City has four testing locations along Holland and Mill Creek. Samples are collected and sent to Auburn Environmental Consulting & Testing for the testing of CBOD, Orthophosphate, TKN, Nitrate & Nitrite, and total Phosphorus pollutants. During this reporting year the largest reductions in pollutants seen at all four testing locations included the CBOD and the total Phosphorus levels. Both CBOD and the total phosphorus levels contribute to strain on life in the creek ecosystem. CBOD leaches the dissolved oxygen in the water making it difficult for aquatic life to function. Excess phosphorus nutrients being washed into the creeks also contribute to an unhealthy water quality. The efforts performed in the previous years to get Mill Creek off the 303(d) list continue to produce positive results of a recovering creek ecosystem.

Storm Water Management Program Annual Report City of Phenix City, Alabama

Individual Phase II MS4 NPDES Permit No. ALR040019

3.1.8 Upgrades to Efficiency

During this reporting period, Phenix City started transitioning to electronic documentation. Bluebeam is a collaborative pdf editing software that enables multiple users to comment and edit storm water and erosion control plans. Inspection reports have started to become digital as well making the process and recording easier.

3.1.9 Phase II MS4 Permit Renewal

The ADEM General NPDES permit ALR040000 expired September 30, 2021 and a new permit was effective October 1, 2021. The City's MS4 Permit ALR040019 was renewed and expires September 30, 2026. A copy of this permit can be found on ADEM's AEPACS website or on the City's Stormwater Management webpage under "City of Phenix City Storm Water Management Program Plan."

3.1.10 *SWMPP and IDDE updates*

As a result of changes to the City's Storm Water Management Program and the updates made by ADEM and the EPA to the Phase II MS4 General Permit ALR040000 (Permit), the City's SWMPP has been updated to comply with permit coverages under Part III and approved by City Council. Included in the SWMPP update, the IDDE program plan was amended to comply with current permit coverages under Part III.B.2 of the Permit. See the City's Stormwater Management webpage to view these updates.

3.1.11 Stormwater and Erosion Control Coordinator

The City recently hired Mr. Jonathan Foster to fill the open Stormwater and Erosion Control Coordinator positon within the Phenix City Engineering Department. Mr. Foster is a graduate of the University of South Alabama, holding a Bachelor's Degree in Biology. Mr. Foster comes to the city with experience in the environmental consulting field with an emphasis on Stormwater and Natural Resources.

3.1.12 Stormwater Monthly Meetings

As of December 2021, the Engineering Department holds a monthly stormwater meeting. The topics covered in this meeting include topics like construction stormwater inspections, outfall reconnaissance inventory inspections, structural BMP inspections, scheduling for employee training and public education, and site specific issues related to stormwater in Phenix City. The City Engineer, several Graduate Civil Engineers, the City Inspector, the Stormwater and Erosion Control Coordinator, and several other individuals directly involved with the SWMP attend the monthly meeting.

Storm Water Management Program Annual Report City of Phenix City, Alabama

Individual Phase II MS4 NPDES Permit No. ALR040019

3.1.13 Pre-Construction Inspections

During the 2021-2022 reporting year, the City implemented a new pre-construction inspection to ensure lot drainage and BMP installation complies with the drainage and erosion control plans approved by the City. This will prevent some erosion and sediment control issues in the future and will keep developers, homebuilders, and contractors accountable to approved erosion control plans and land disturbance permits.

3.2 Overall Program Strengths/Weaknesses

The first strength of the City's Storm Water Management Program is the increased clarity provided with the adoption of the SWMPP and IDDE policies, and their relative ordinances, both approved in 2017 and updated in 2022. These policies have made both the goals of the storm water program, and the path to achieve these goals, more clear. The IDDE Ordinance and the Erosion and Sediment Control Policy have also established legal authority to more decisively regulate the control of pollutants and the permitting of land disturbances.

A second strength is our proactive approach to handling potential Storm Water issues and our ability to continue efficiency with our current resources. With each reporting period we are able to identify more areas within our program that need work and adjust our approach accordingly. Our relationships with contractors have allowed us to better prevent illicit discharges during and post construction.

The main weakness of the City's SWMPP remains the lack of staff dedicated to the implementation of the program. The Engineering Department manages the Storm Water Management Program responsibilities and the MS4 Permit. The majority of the work is currently handled by two people. Even with a strain on resources, the City remains proactive in handling illicit discharges and other storm water management goals and is confident about the direction of the program.

A second challenge facing the program is the existence of grey areas in the requirement to maintain post construction BMPs. While the majority of our detention systems are being maintained by their owners, there are detention systems that have been allowed to return to ownership of the State. The City is now required to take over maintenance of these ponds owned by the State. This creates a strain on the Public Works/Engineering departments to allocate the staff and funds to maintain these facilities. Low staffing has created an issue for maintaining these systems. We are also encountering both permitted and non-permitted facilities which are owned by limited liability corporations that have dissolved since the completion of developments. These and other situations involving dissolution of companies like this have created a need to produce definitive standard operating procedures handling these instances. A future solution for this issue is adding an operations and maintenance agreement to the City Public Works Manual. This manual is currently under review by City Council.

Storm Water Management Program Annual Report City of Phenix City, Alabama

Individual Phase II MS4 NPDES Permit No. ALR040019

The third challenge in this program is the lack of employees dedicated to the requirements set forth in the MS4 permit and the SWMPP. We have lost one experienced employee that helped implement the program. We will continue the program with our current staffing; however, we are looking to hire more individuals that can benefit the program.

3.3 Future Direction of the Program

During the upcoming reporting period, the City plans to continue:

- The advancement of the Storm Water Management Program Plan.
- The advancement of the Illicit Discharge Detection and Elimination Program
- The stream-walking program, locating and documenting outfalls in accordance with the Storm Water Management Program Plan, and renewed MS4 Permit requirements.
- Ranking outfalls and identifying Priority Areas
- Working towards the development of a Post-Construction Storm Water Management Ordinance
- Working towards the development and review of a new Public Works Manual



Individual Phase II MS4 NPDES Permit No. ALR040019

4.0 Agency Certification

I certify under penalty of law that this document and all attachments pertaining to the City of Phenix City were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine or imprisonment for knowing violations.

ATTEST:

Eddie N. Lowe, Mayor

City of Phenix City, Alabama

Date

Melony Lee, City Clerk

City of Phenix City, Alabama

Date

Wallace B. Hunter, City Manager

City of Phenix City, Alabama

Date

THE CITY OF PHENIX CITY CONTROL MEASURE 1 - PUBLIC EDUCATION AND PUBLIC INVOLVEMENT Narrative Report

			Narrative Report			
ACTIVITY NO.	STRATEGIES	IMPLEMENTATION STATUS FOR REPORTING PERIOD	PROPOSED EFFORTS FOR NEXT REPORTING PERIOD	SUPPORTING DOCUMENTATION	COMMENTS/CHANGES	PROPOSED CHANGES MET
<u> </u>	Storm Water Web Page: Maintain the Storm Water web page on the City's Website.	The City has updated and maintained the Storm Water web page on the City's website.	The City will continue maintaining and updating the Storm Water Webpage on the City's website.	https://phenixcityal.us/engineering- public-works/engineering/storm- water-management/	No proposed changes at this time.	Yes
2	Annual Report and SWMPP Availability: Provide the SWMPP and current Annual Report for public viewing on the City's website.	The City has posted the current copy of the SWIMPP and the current copy of the 2021-2022 Annual Report on the City's webpage for viewing.	The City will continue to provide a copy of the current SWMPP and Annual Report for public viewing on the City's webpage.	https://phenixcityal.us/engineering- public-works/engineering/storm- water-management/	No proposed changes at this time.	Yes
ω	Storm Water Educational Material: Develop and distribute educational materials to citizens and business owners by placement at City locations.	The City is currently distributing educational materials to citizens and business owners by placement at City locations. 10 brochures were distributed.	The City will continue looking for new educational materials to educate employees, citizens and business owners.	Copies of all education materials are available upon request.	No proposed changes at this time.	Yes
4	Help the Hooch: Promote and participate in the annual cleanup for the Chattahoochee River.	The City helped promote the Help the Hooch annual cleanup for the Chattahoochee River by advertising on the City's webpage and on City marquees. Public Works hauled trash and debris that was pulled out of the river from the event.	The City will continue advertising and participating in the Help the Hooch annual cleanup.	Amount of trash and debris are included in the Solid Waste quarterly report of volume. Copies of the quarterly report are available upon request.	No proposed changes at this time.	Yes
ъ	Riverwalk Cleanup: Cleanup and maintenance of the 1.1-mile Riverwalk structure.	The Parks and Recreation Department maintains the 1.1-mile Riverwalk structure.	The Parks and Recreation Department will continue maintaining the 1.1-mile Riverwalk structure.	Amount of trash and debris are recorded in the Solid Waste quarterly report of volume. Copies of the quarterly report are available upon request.	No proposed changes at this time.	Yes
a	Partnerships in Educational and Public Involvement Events: Partner with Auburn University, EPA, and ADEM to improve Mill Creek, distribute educational materials and promote events.	The City distributes educational material quarterly and promotes events on City marquees. Inspired by the accomplishments evident with the completion of the Mill Creek Project, the City is currently researching new opportunities and partnerships.	The City will look for new ways to help improve Mill Creek by distributing new educational material and continue to volunteer and promote events.	The City publishes newsletters giving helpful tips and ways to reduce pollution within the City's waterways.	No proposed changes at this time.	Yes

00	7
Public Reporting and Tracking System: Provide a contact number on the City's Storm Water Management webpage for the public to provide input on the development, revision, and implementation of the SWMPP.	Recycling Center: Manage drop-off facilities at 1100 Airport Road and 709 12th Street
The City currently has contact information on the Storm Water Management webpage for the public to provide input on the development, revision, and implementation of the SWMPP.	The City is currently managing both drop-off facilities. 85.5 tons of recyclables were reported for the 2021-2022 reporting period.
This activity's implementation status has proven to be effective and will continue to provide input on the development, revision, and implementation of the SWMPP.	The City will continue managing the recycling drop-off locations. The City is currently investigating a Possible location for a 3 rd Recycling Center to promote and encourage more recycling.
https://phenixcityal.us/action-center/ https://phenixcityal.us/engineering-public-works/engineering/storm-water-management/	https://phenixcityal.us/engineering- public-works/public-works- division/recycling-centers/
No proposed changes at this time.	No proposed changes at this time.
Yes	Yes

THE CITY OF PHENIX CITY CONTROL MEASURE 2 - ILLICIT DISCHARGE DETECTION AND ELIMINATION Narrative Report

Yes Goal for outfalls met for this permit cycle.	No proposed changes at this time.	If any source of discharges are determined the City will report the number of investigations and the number of confirmed reported discharges during the reporting period.	The City will continue to investigate all illicit discharges and determine the source of the discharge problem.	1 suspect discharge was identified and laboratory analysis was not required for identification of discharge source.	Discharge Investigation: Illicit discharge investigations will be performed to determine the source of a discharge problem.	7
Yes Goal for outfalls met for this permit cycle.	No proposed changes at this time.	If any discharges are identified, a laboratory analysis will be available upon request.	The City will Continue to designate rankings of outfalls based on investigations, scheduled inspections and results from the ORI Field Sheet.	45 outfalls were located and verified as having unlikely discharge potential.	Outfall Ranking: Designate the inspected outfalls as having obvious, suspect, possible, or unlikely discharge potential based on data from each ORI Field Sheet.	Ø
Yes Goal for outfalls met for this permit cycle.	No proposed changes at this time.	If any suspect discharges are identified, the outfall will be sampled and the City will report the laboratory analysis results for the collected samples.	The City will continue sampling any suspected discharges observed during scheduled inspections.	1 suspect illicit discharge was Investigated and elimainated. No samples were collected. See documentation in appendices.	Suspect Discharge Sampling: Field crews will collect samples of suspected illicit discharges for laboratory analysis.	v
Yes Goal for outfalls met for this permit cycle.	No proposed changes at this time.	Outfall Reconnaissance Inventory Field Sheets will be available upon request.	The City will continue dry weather monitoring and report the number outfalls inspected during the reporting period.	The City has located and inspected 45 outfalls. Dry weather monitoring activities may be combined with outfall verification as described in Activity 3.	Outfall Reconnaissance Inventory: Conduct dry weather monitoring of 15% of major outfalls in Priority Areas.	4
Yes Goal for outfalls met for this permit cycle.	No proposed changes at this time.	The City will report the number of probable outfalls that were verified during the reporting period.	The City will continue to field verify outfalls that are identified on as-built surveys received and locate the identified outfalls in GIS. The City will continue to map probable outfalls.	The City receives as-built surveys of new developments and field verifies outfalls prior to acceptance into the City of Phenix City maintenance program. 0 probable outfalls. 45 outfalls verified.	Probable Outfall Verification: Add probable outfalls to the Storm Sewer System Map and label as unverified. Verify outfalls within 18 months.	ω
Yes Goal for outfalls met for this permit cycle.	No proposed changes at this time.	The City will report the number of outfalls identified and The stream length walked that reporting period. All located outfalls will be added to the City's outfall location map.	The City will continue implementing a stream-walking program to identify outfalls and re-evaluate any known outfalls.	The City continues to implement The stream-walking program to Identify outfalls and re-evaluate any Known outfalls. 45 outfalls verified for 2021-2022. 345 total outfalls located/identified since permit renewal.	Outfall Identification: Implement a stream-walking program to identify outfalls and reevaluate known outfalls.	N
Yes	No proposed changes at this time.	The City has included a chart with the Illicit discharge potential for each subwatershed. The City will continue to update the chart.	The City will continue evaluating drainage areas to establish Priority Areas.	The City is actively evaluating drainage areas to determine the Priority Areas.	Identify Priority Areas: Evaluate the subwatersheds and determine the Priority Areas for the reporting period.	1
PROPOSED CHANGES MET	COMMENTS/CHANGES	SUPPORTING DOCUMENTATION	PROPOSED EFFORTS FOR NEXT REPORTING PERIOD	IMPLEMENTATION STATUS FOR REPORTING PERIOD	STRATEGIES	ACTIVITY NO.

12	=======================================	10	9	ω
Distribute Storm Water Educational Material: Distribute educational materials to the public, highlighting identification and reporting of potential illicit discharges.	Evaluate IDDE Ordinance: IDDE Ordinance Chapter 10 ½ Storm Water Management was approved on February 7, 2017 and will define illicit discharge and responsibility. Evaluate the effectiveness of the Ordinance each reporting period.	Update Storm Water System Map - Future Additions: Proposed additions to the City MS4, including new storm sewer and drainage ditches, will be mapped based on the civil plans provided to the City.	Update Storm Water System Map - Existing Features: Update the existing Storm Water System Map as new outfalls are identified and BMPs are added.	Corrective Action Record Keeping: Create a case log detailing pertinent information for each identified suspect illicit discharge or illicit connection.
The City is currently distributing Educational material to the public, highlighting identification and reporting of potential illicit discharges.	The City's IDDE Ordinance 10 ½ Storm Water Management was approved and adopted on February 7th, 2017. This reporting period, the City had: 1 potential qualifying new businesses. 1 complaint received. 1 illicit discharges identified. 1 resolved potential violations. 0 repeat offenders 1 notice letters sent	The City is currently updating it's existing Storm Water System Map with proposed additions from asbuilt surveys submitted of new development features and conveyances. New outfalls are verified after construction is complete. 16 new construction plans were submitted to the City. 1 new outfalls were verified.	The City is currently updating it's existing Storm Water System Map as new outfalls are identified and as new BMPs are added.	The City is developing a case log detailing pertinent information for each identified illicit discharge or illicit connection. 1 reported illicit discharge. 1 reported corrective action.
The City will continue distributing educational material to the public, highlighting identification and reporting of potential illicit discharges.	The City will evaluate the Ordinance to determine the effectiveness in addressing identified illicit discharges and preventing repeat offenders. The City will report the number of complaints received, number of illicit discharges identified during the reporting period, the number of resolved violations, the number of repeat offenders, and the number of enforcement actions.	The City will continue updating it's Storm Water System Map and state whether updates were made and, if needed, provide an updated Storm Water System Map showing the features, conveyances or outfalls added during the reporting period.	The City will continue updating it's Storm Water System Map and state whether updates were made and, if needed, provide an updated Storm Water System Map showing the features added during the reporting period.	The City will maintain a case log for each identified illicit discharge or illicit connection and the corrected actions taken.
The City will provide copies of distributed educational material during the reporting period.	If any illicit discharges are reported, the City will report the number of confirmed corrective actions that were taken during the reporting period.	The City will provide a current copy of the Storm Water System Map each reporting period.	The City will provide a current copy of the Storm Water System Map each reporting period.	If any illicit discharges are reported, the City will report the number of confirmed corrective actions that were taken during the reporting period.
No proposed changes at this time.	No proposed changes at this time.	No proposed changes at this time.	No proposed changes at this time.	No proposed changes at this time.
Yes	Yes	Yes Goal for outfalls met for this permit cycle.	Yes Goal for outfalls met for this permit cycle.	Yes

17	16	15	14	13
NPDES Industrial Permitting: Obtain information pertaining to permitted facilities and incorporate into the Storm Water System Map and report unpermitted facilities.	Evaluation of Monitoring Data: Evaluate the collected monitoring data and make recommendations to add and/or modify monitoring points.	Storm Water Monitoring Locations: Update existing Storm Water System Map with storm water monitoring locations.	Municipal Training: Train City personnel on the identification of illicit discharges, procedures for reporting illicit discharges, and prevention of storm water pollution at facilities.	Public Reporting and Tracking: Provides a phone number and electronic form on website for public to report non-compliant construction sites, illicit discharges, impaired waters, and ordinance violations.
The City will evaluate and obtain information pertaining to permitted facilities and incorporate into the Storm Water System Map and report unpermitted facilities. Unpermitted facilities that require an NPDES permit will be reported to the Industrial Section of the ADEM in Montgomery, Alabama.	The City currently monitors four (4) locations along Mill Creek and Holland Creek. No abnormal data has been detected.	The City has updated it's Storm Water System Map with the current storm water monitoring locations.	The City is implementing training material for the identification of illicit discharges, procedures for reporting illicit discharges, and prevention of storm water pollution at the City's facilities. 11 City employees attended municipal training sessions during The 2021-2022 reporting period.	The City currently provides a contact number on the City's Storm Water Management webpage for the public to report non-compliant construction sites, illicit discharges (including spills or illegal dumping), impaired waterways, and violations of ordinances relating to storm water pollution. 1 Illicit discharge complaint was received.
The City will continue to evaluate and obtain information pertaining to permitted facilities and incorporate into the Storm Water System Map and continue to report unpermitted facilities. Any unpermitted facilities will be Reported to ADEM.	The City will continue to evaluate the effectiveness of the monitoring locations.	Storm water monitoring at these locations have proven to be effective for determining storm water quality and the City will continue monitoring for each reporting period.	Municipal training for all facility employees will continue annually.	The City will continue to provide reporting methods and provide seducational materials on the storm water webpage. The City will evaluate the current public reporting and tracking methods annually to determine effectiveness of public reporting.
The City will provide the number of Unpermitted facilities reported to ADEM during the reporting period.	The City will report which monitoring points appear to have relatively higher pollutant loads. The City may add and/or modify monitoring points to better characterize discharges from the MS4.	The City will provide a Storm Water System Map showing the locations during the reporting period.	The City will keep attendance records and report the number of municipal workers trained during the reporting period. Attendance records are available upon request.	https://phenixcityal.us/action- center/ https://phenixcityal.us/engineering- public-works/engineering/storm- water-management/
No proposed changes at this time.	No proposed changes at this time.	No proposed changes at this time.	No proposed changes at this time.	No proposed changes at this time.
Yes	Yes	Yes	Yes	Yes

THE CITY OF PHENIX CITY CONTROL MEASURE 3 - CONSTRUCTION SITE STORM WATER RUNOFF Narrative Report

						L
ACTIVITY NO.	STRATEGIES	IMPLEMENTATION STATUS FOR REPORTING PERIOD	PROPOSED EFFORTS FOR NEXT REPORTING PERIOD	SUPPORTING DOCUMENTATION	COMMENTS/CHANGES	PROPOSED CHANGES MET
1	Erosion and Sediment Control Ordinance: The City's Erosion and Sedimentation Control Policy gives authority for City to implement its Construction Site Storm Water Runoff Program. Evaluate the effectiveness of the	The City is currently implementing and evaluating the effectiveness of it's Construction Site Storm Water Runoff Program set forth by the Erosion and Sedimentation Control Policy, adopted in Ordinance 2007-07 dated February 21, 2007.	The City will continue to implement and evaluate the effectiveness of it's Construction Site Storm Water Runoff Program set forth by the Erosion and Sedimentation Control Policy, adopted in Ordinance 2007-07 dated February 21, 2007.	The City has copies of non-Compliant letters available upon Request. https://phenixcityal.us/engineering-public-works/engineering/storm-water-management/	No proposed changes at this time.	Yes
	Policy each reporting period.	5 non-compliant construction sites identified by the City. 5 enforcement action taken 0 sites reported to ADEM. 0 repeat offenders.	The City will evaluate the effectiveness of the Policy during each reporting period. If changes are warranted, a new or revised ordinance will be approved and implemented by the City Council.			
Ν	Sediment and Erosion Control Plan Review: Review Sediment and Erosion Control Plans for all permit applications.	The City currently reviews the Sediment and Erosion Control Plans for all permit applications. Plan review ensures proposed projects adequately address the City's erosion, sediment, and pollution control requirements and takes into consideration what potential impacts to water quality the project may have.	The City will continue to Review Sediment and Erosion Control Plans for all permit applications.	Copies of Sediment and Erosion Control Plans will be available upon request.	No proposed changes at this time.	Yes
		16 plans have been submitted. 16 plans have been reviewed. 11 plans have been approved. 0 plans have been denied. 3 plans that meet the requirements of the Alabama Construction General Permit.				
ω	Construction Site Inspection Program: Conduct inspections of qualifying construction sites within 60 days of initial disturbance, periodically during construction, and following stabilization.	Designated City personnel inspect all qualifying construction sites after initial disturbance, once a month or after each qualifying rain event during construction, and following stabilization. A combined 349 inspection reports, directly concerning ESC or storm water issues, were created between all Engineering Dept. inspectors. 14 non-compliant construction sites identified by the City. 7 enforcement actions taken. 1 non-compliant construction sites are repeat offenders.	Designated City personnel will continue to inspect all qualifying construction sites after initial disturbance, once a month or after each qualifying rain event during construction, and following stabilization.	The city has provided an example of an inspection conducted during the reporting period. The City has a list of construction sites and copies of inspection reports available upon request.	No proposed changes at this time.	Yes

9	U1	4
Notify ADEM of Non-Compliant Sites: The City will notify ADEM of any construction sites where a possible violation of the Clean Water Act has occurred.	Public Reporting and Tracking: Provides a phone number and electronic form on website for public to report non-compliant construction sites, illicit discharges, impaired waters, and ordinance violations.	BMP Training Program: Conduct annual training for City inspectors and reviewers.
The City will notify ADEM of any construction sites where a possible violation of the Clean Water Act has occurred. O non-compliant construction sites were reported to ADEM.	The City currently provides a phone number and electronic forms on the City's webpage for the public to report: Non-compliant construction sites ellicit discharges llmpaired waters Ordinance violations. 10 inquiries received. 10 complaints addressed. 10 complaints resolved.	City personnel currently continue annual Qualified Credentialed Inspectors (QCIs) and storm water awareness refresher courses for personnel conducting BMP inspections. Paul Chastain (QCI #T0716), Bo Greene (QCI #T5719) Jimmy Cook (QCI #T6191) Richard Carlson (QCI#63899) Jonathan Foster (QCI #T07190) QCI certifications were maintained through the approved initial and annual refresher courses. Paul Chastain (CSI Certificate #8867) Has completed the requirements for Certified Stormwater Inspector
The City will continue to notify ADEM of any construction sites where a possible violation of the Clean Water Act has occurred.	The City will continue to provide a phone number and electronic forms on the City's webpage for the public to report: - Non-compliant construction sites - Illicit discharges - Impaired waters - Ordinance violations.	The City will continue annual Qualified Credentialed Inspectors (QCIs) and storm water awareness refresher courses for personnel conducting BMP inspections.
No documents available at this time.	https://phenixcityal.us/action-center/ https://phenixcityal.us/engineering-public-works/engineering/storm-water-management/	The City has provided copies of the QCI certificates and/or records of awareness training received during the reporting period.
No proposed changes at this time.	No proposed changes at this time.	No proposed changes at this time.
Yes	Yes	Yes

THE CITY OF PHENIX CITY CONTROL MEASURE 4 - POST-CONSTRUCTION STORM WATER MANAGEMENT Narrative Report


			Namative Report			
ACTIVITY NO.	STRATEGIES	IMPLEMENTATION STATUS FOR REPORTING PERIOD	PROPOSED EFFORTS FOR NEXT REPORTING PERIOD	SUPPORTING DOCUMENTATION	COMMENTS/CHANGES	PROPOSED CHANGES MET
_	Post-Construction Storm Water Management Policy: City's Erosion and Sediment Control Policy allows the City to enforce the design and implementation of post construction storm water management BMPs.	The City is currently implementing and evaluating the effectiveness of it's Post Construction Site Storm Water Runoff Program set forth by the Erosion and Sedimentation Control Policy, adopted in Ordinance 2007-07 dated February 21, 2007.	The City is in the process of implementing and updating a Post Construction Site Storm Water Runoff Program.	A copy of the Erosion and Sediment Control Policy is available upon request, or it can be viewed on the City's Storm Water Webpage at: https://phenixcityal.us/engineering-public-works/engineering/storm-	The City will develop a separate Post-Construction Storm Water Ordinance	In Progress
	management BMPs. Evaluate the effectiveness of the Policy each reporting period.	2007-07 gated rebruary 21, 2007. 16 plans have been submitted and include measures to reduce runoff volume.		nutps://pnenxcryal.us/engineering- public-works/engineering/storm- water-management/		
2	Water Controls: Erosion and Sediment Control Policy allows City to ensure long-term operation and maintenance of storm water management BMPs.	The City currently implements the Erosion and Sediment Control Policy to ensure adequate long-term operation and maintenance of post construction storm water management BMPs.	The City will continue to implement The Erosion and Sediment Control Policy and evaluate its effectiveness each reporting period.	Copies of plans and agreements are available upon request.	No proposed changes at this time.	In Progress
	Evaluate the effectiveness of the Policy each reporting period.		The City is in the process of developing a post construction storm water maintenance agreement.			
ω	Evaluate Obstacles to Low Impact/Green Development: Review and evaluate policies and ordinances to identify regulatory and policy impediments to the installation of green infrastructure and low-impact development techniques.	The City does not currently evaluate, have a policy or have an ordinance to identify regulatory and policy impediments to the installation of green infrastructure (GI) and lowimpact development (LID) techniques. The City has included links to the EPA's LID guidance and the ADEM's LID Handbook for the State of Alabama.	The City will review and evaluate policies and ordinances related to building codes, or other local regulations, with a goal of identifying regulatory and policy impediments to the installation of green infrastructure and low-impact development techniques.	No documents available at this time.	No proposed changes at this time.	Yes
4	Plan Review: Review sediment and erosion control plans and storm water management plans for all new construction prior to approval or denial of permit application.	The City currently reviews sediment and erosion control plans and storm water management plans for all new construction prior to approval or denial of permit application. 16 plans were submitted for review.	The City will continue to review Sediment and erosion control plans and storm water management plans for all new construction prior to approval or denial of permit application.	Copies of plans are available for review upon request.	No proposed changes at this time.	Yes

ō	v
Post-Construction Structural Controls Inventory: Update an inventory of post- construction structural controls including those owned by the City.	Post Construction Site Inspection Inspect post-construction controls Inspect post-construction controls after stabilization is complete to confirm post-construction storm water measures/structures have been installed according to the submitted plan. Annually inspect each site to confirm post-construction BMPs are functioning as designed. Evaluate the effectiveness of the inspection program. Designated personnel currently inspects post-construction controls after stabilization is complete to confirm post-construction storm water measures/structures have been installed according to the submitted plan. 108 detention ponds were inspected. 3 new detention ponds were installed. Evaluate the effectiveness of the inspection program.
The City will compile an inventory of post-construction structural controls including those owned by the City.	Designated personnel currently inspects post-construction controls after stabilization is complete to confirm post-construction storm water measures/structures have been installed according to the submitted plan. 108 detention ponds were inspected. 3 new detention ponds were installed.
The City will continue maintaining an inventory of post-construction structural controls including those owned by the City.	Designated personnel will continue to inspect post-construction controls after stabilization is complete to confirm post-construction storm water measures/structures have been installed according to the submitted plan.
The City will maintain an inventory of post-construction structural controls including those owned by the City. Documents are available upon request.	The City will maintain inspection documentation for review upon request.
No proposed changes at this time.	No proposed changes at this time.
Yes	Yes

THE CITY OF PHENIX CITY CONTROL MEASURE 5 - POLLUTION PREVENTION AND GOOD HOUSEKEEPING FOR MUNICIPAL OPERATIONS Narrative Report

!		https://phenixcityal.us/engineering- public-works/public-works- division/limbs-debris/		The amount of curbside pickup is included in the solid waste quarterly report.	yana wasacon a wacany basis.	
is time.	No proposed changes at this time.	Copies of City's solid waste quarterly reports are available upon request. The City's Limb and Debris Pickup Policy can be reviewed at:	The City will continue providing a curbside pickup collection of miscellaneous metals, appliances, furniture, and yard waste on a weekly basis.	The City is currently providing a curbside pickup collection of miscellaneous metals, appliances, furniture, and yard waste on a weekly basis.	Large Item Pickup Policy: City Ordinance Section 12-5 provides curbside collection of miscellaneous metals, appliances, furniture, and waste on a weekly hasis	₅
		https://phenixcityal.us/engineering-public-works/public-works-division/limbs-debris/		3,908 tons of limbs and debris were reported for the 2021-2022 reporting period.		
time.	No proposed changes at this time	Copies of City's solid waste quarterly reports are available upon request. The City's Limb and Debris Pickup Policy can be reviewed at:	The City will continue providing a curbside pickup of limbs and debris on a weekly basis.	Per City Ordinance Section 12-5, The City is currently providing a curbside pickup of limbs and debris on a weekly basis.	Litter and Debris Pickup Policy: City Ordinance Section 12-5 provides curbside collection of limbs and debris on a weekly basis.	4
time.	No proposed changes at this time	The City's inspections of municipal vehicles and equipment is logged through PubWorks and copies of inspections are available upon request.	Continue routine inspections of municipal vehicles and equipment.	The City conducts routine inspections of municipal vehicles and equipment.	Vehicle Maintenance Program: Conduct routine inspections of municipal vehicles and equipment.	ω
ime.	No proposed changes at this time.	The City will keep attendance records and report the number of municipal workers trained during the reporting period. Attendance records are available upon request.	Municipal training will continue annually.	The City developed training material for pollution prevention, good housekeeping, illicit discharge identification, and other threats to storm water quality. 51 City employees attended municipal training sessions during the 2021-2022 reporting period.	Employee Training: Training program for municipal employees that focuses on pollution prevention, good housekeeping, illicit discharge identification, and other threats to storm water quality.	Ν
time.	No proposed changes at this time.	The City has provided an example municipal quarterly BMP inspection checklist. Copies of municipal quarterly BMP inspection checklist are available upon request.	Continue monitoring the municipal facilities for good housekeeping and storm water pollution prevention through a municipal quarterly BMP inspection checklist.	The City has 11 municipal facilities that have the potential to discharge pollutants through storm water runoff and inspects these facilities quarterly for good housekeeping practices. O Deficiencies Noted	Maintain a list of municipal facilities that have the potential to discharge pollutants through storm water runoff. Inspect facilities for good housekeeping practices.	
	COMMENTS/CHANGES	SUPPORTING DOCUMENTATION	PROPOSED EFFORTS FOR NEXT REPORTING PERIOD	IMPLEMENTATION STATUS FOR REPORTING PERIOD	STRATEGIES	ACTIVITY NO.

				c	n		
	Manage tire removal program.		Airport Road and 709 12th Street.	Manage drop-off facilities at 1100		Recycling Program:	Litter, Floatables, and Debris -
85.5 tons of recyclables were reported for the 2021-2022 reporting period. Approximately 1,631 tires were removed during the reporting period.	are provided on the website.	accepted as part of this program	the City website. The materials	City. This program is advertised on	two drop-off locations within the	recycling program. The City offers	The City manages a voluntary
website as well. The City will evaluate and consider the addition of a third recycling location.	program are provided on the	materials accepted as part of this	advertised on the City website. The	within the City. This program is	City offers two drop-off locations	voluntary recycling program. The	The City will continue to manage a
		division/recycling-centers/	public-works/public-works-	https://phenixcityal.us/engineering-		are available upon request.	Quarterly reports for recyclables
							No proposed changes at this time.
							Yes



	-			•
Outrall Number	Latitude	Longitude	Description	otream
Outfall 1	32.520469	-85.066078	DITCH	HOLLAND CREEK
Outfall 2	32.510986	-85.049103	DITCH	HOLLAND CREEK
Outfall 3	32.510853	-85.049214	DITCH	HOLLAND CREEK
Outfall 4	32.501694	-85.038222	36" RCP	HOLLAND CREEK
Outfall 5	32.501858	-85.038172	18" RCP	HOLLAND CREEK
Outfall 6	32.502128	-85.038389	DITCH	HOLLAND CREEK
Outfall 7	32.490183	-84.998906	24" CONCRETE PIPE	UNNAMED TRIBUTARY
Outfall 8	32.490228	-84.998919	FLUME	UNNAMED TRIBUTARY
Outfall 9	32.490203	-84.998822	FLUME	UNNAMED TRIBUTARY
Outfall 10	32.490983	-84.996614	24" RCP	CHATAHOOCHEE RIVER
Outfall 11	32.490522	-84.996544	18" CONCRETE PIPE	CHATAHOOCHEE RIVER
Outfall 12	32.490036	-85.000164	18" CMP	UNNAMED TRIBUTARY
Outfall 13	32.489203	-85.001819	18" CONCRETE PIPE	UNNAMED TRIBUTARY
Outfall 14	32.489189	-85.001806	FLUME	UNNAMED TRIBUTARY
Outfall 15	32.489142	-85.001819	18" CONCRETE PIPE	UNNAMED TRIBUTARY
Outfall 16	32.489181	-85.001625	18" CONCRETE PIPE	UNNAMED TRIBUTARY
Outfall 17	32.489244	-85.001658	18" CONCRETE PIPE	UNNAMED TRIBUTARY
Outfall 18	32.489158	-85.005019	18" CONCRETE PIPE	UNNAMED TRIBUTARY
Outfall 19	32.489472	-85.006853	36" CONCRETE PIPE	UNNAMED TRIBUTARY
Outfall 20	32.490567	-85.026297	(2) 30" RCP	HOLLAND CREEK
Outfall 21	32.513681	-85.027664	42" CMP	HOLLAND CREEK
Outfall 22	32.513683	-85.027600	DITCH	HOLLAND CREEK
Outfall 23	32.503319	-85.034314	DITCH	UNNAMED TRIBUTARY
Outfall 24	32.504250	-85.034106	DITCH	UNNAMED TRIBUTARY
Outfall 25	32.502442	-85.034425	FLUME	UNNAMED TRIBUTARY
Outfall 26	32.502306	-85.034417	FLUME	UNNAMED TRIBUTARY
Outfall 27	32.478350	-85.049522	24" RCP	MILL CREEK
Outfall 28	32.491567	-85.042697	DITCH	MILL CREEK
Outfall 29	32.490244	-85.037231	DITCH	MILL CREEK
Outfall 30	32.490050	-85.037203	FLUME	MILL CREEK
Outfall 31	32.490150	-85.037392	FLUME	MILL CREEK
Outfall 32	32.490358	-85.037378	FLUME	MILL CREEK
Outfall 33	32.491778	-85.033092	DITCH	HOLLAND CREEK

Outfall 34	32.491928	-85.033239	FLUME	HOLLAND CREEK
Outfall 35	32.491981	-85.033083	DITCH	HOLLAND CREEK
Outfall 36	32.491917	-85.033017	DITCH	HOLLAND CREEK
Outfall 37	32.483475	-85.028461	24" RCP	HOLLAND CREEK
Outfall 38	32.483978	-85.027750	24" RCP	HOLLAND CREEK
Outfall 39	32.514572	-85.003631	24" RCP	CHATAHOOCHEE RIVER
Outfall 40	32.514514	-85.004131	24" RCP	CHATAHOOCHEE RIVER
Outfall 41	32.514181	-85.004756	24" RCP	CHATAHOOCHEE RIVER
Outfall 42	32.514525	-85.004619	DITCH	CHATAHOOCHEE RIVER
Outfall 43	32.514597	-85.004547	BOAT RAMP	CHATAHOOCHEE RIVER
Outfall 44	32.434822	-85.012436	DITCH	COCHGALECHEE CREEK
Outfall 45	32.488878	-85.033781	FLUME	MILL CREEK
Outfall 46	32.489225	-85.034119	FLUME	MILL CREEK
Outfall 47	32.489100	-85.034406	CURB INLET	MILL CREEK
Outfall 48	32.489000	-85.034725	FLUME	MILL CREEK
Outfall 49	32.489031	-85.035522	24" CONCRETE PIPE	MILL CREEK
Outfall 50	32.507547	-85.004239	FLUME	CHATAHOOCHEE RIVER
Outfall 51	32.463653	-84.998917	24" RCP	CHATAHOOCHEE RIVER
Outfall 52	32.463278	-84.998956	24" CONCRETE PIPE	CHATAHOOCHEE RIVER
Outfall 53	32.463228	-84.998956	24" CONCRETE PIPE	CHATAHOOCHEE RIVER
Outfall 54	32.453925	-84.996019	DITCH	CHATAHOOCHEE RIVER
Outfall 55	32.433819	-84.992158	30" CONCRETE PIPE	COCHGALECHEE CREEK
Outfall 56	32.433825	-84.992125	24" RCP	COCHGALECHEE CREEK
Outfall 57	32.434311	-84.992367	24" CMP	COCHGALECHEE CREEK
Outfall 58	32.434333	-84.992350	24" CMP	COCHGALECHEE CREEK
Outfall 59	32.471136	-84.997647	18" RCP	CHATAHOOCHEE RIVER
Outfall 60	32.472006	-84.997347	15" RCP	CHATAHOOCHEE RIVER
Outfall 61	32.472525	-84.997186	12" RCP	CHATAHOOCHEE RIVER
Outfall 62	32.473381	-84.996956	36" RCP	CHATAHOOCHEE RIVER
Outfall 63	32.474194	-84.996297	24" RCP	CHATAHOOCHEE RIVER
Outfall 64	32.474103	-84.996383	36" RCP	CHATAHOOCHEE RIVER
Outfall 65	32.474642	-84.995864	36" RCP	CHATAHOOCHEE RIVER
Outfall 66	32.475569	-84.995711	18" RCP	CHATAHOOCHEE RIVER
Outfall 67	32.477058	-84.995553	24" CMP	CHATAHOOCHEE RIVER

UNNAMED TRIBUTARY	DRAIN INLET	-85.014614	32.471067	Outfall 101
UNNAMED TRIBUTARY	24" CONCRETE PIPE	-85.014630	32.471090	Outfall 100
UNNAMED TRIBUTARY	DRAIN INLET	-85.014691	32.471010	Outfall 99
UNNAMED TRIBUTARY	24" CONCRETE PIPE	-85.015380	32.470140	Outfall 98
UNNAMED TRIBUTARY	DRAIN INLET	-85.015195	32.470250	Outfall 97
UNNAMED TRIBUTARY	6" PIPE	-85.015200	32.470250	Outfall 96
UNNAMED TRIBUTARY	6" PIPE	-85.015060	32.470320	Outfall 95
UNNAMED TRIBUTARY	DRAIN INLET	-85.015066	32.470321	Outfall 94
HOLLAND "MILL" CREEK	24" CONCRETE PIPE	-85.004040	32.470700	Outfall 93
UNNAMED TRIBUTARY	DITCH	-85.029175	32.449133	Outfall 92
HOLLAND "MILL" CREEK	24" CONCRETE PIPE	-85.004785	32.468470	Outfall 91
HOLLAND "MILL" CREEK	DITCH	-85.003965	32.467810	Outfall 90
UNNAMED TRIBUTARY	24" RCP	-85.029244	32.449090	Outfall 89
HOLLAND "MILL" CREEK	FLUME	-85.002677	32.467601	Outfall 88
HOLLAND "MILL" CREEK	96" CMP	-85.003570	32.468290	Outfall 87
HOLLAND "MILL" CREEK	36" CONCRETE PIPE	-85.002291	32.467769	Outfall 86
HOLLAND "MILL" CREEK	4" PVC PIPE	-84.002221	32.467740	Outfall 85
HOLLAND "MILL" CREEK	36" CONCRETE PIPE	-84.002130	32.467650	Outfall 84
HOLLAND "MILL" CREEK	24" CONCRETE PIPE	-84.002677	32.465481	Outfall 83
HOLLAND "MILL" CREEK	FLUME	-84.999224	32.465179	Outfall 82
HOLLAND "MILL" CREEK	DITCH	-84.998992	32.465214	Outfall 81
HOLLAND "MILL" CREEK	DITCH	-84.998792	32.465211	Outfall 80
MILL CREEK	MONITORING LOCATION 3	-85.060822	32.488050	Outfall 79
HOLLAND "MILL" CREEK	24" RCP	-85.009506	32.471256	Outfall 78
HOLLAND "MILL" CREEK	24" CLAY PIPE	-85.009214	32.471453	Outfall 77
HOLLAND "MILL" CREEK	18" RCP	-85.009125	32.471231	Outfall 76
HOLLAND "MILL" CREEK	18" RCP	-85.006247	32.468711	Outfall 75
HOLLAND "MILL" CREEK	18" RCP	-85.006019	32.468581	Outfall 74
HOLLAND CREEK	MONITORING LOCATION 1	-85.034225	32.497017	Outfall 73
UNNAMED TRIBUTARY	12' CULVERT	-85.003536	32.506625	Outfall 72
UNNAMED TRIBUTARY	48" RCP	-85.003631	32.506703	Outfall 71
CHATAHOOCHEE RIVER	18" CMP	-84.995283	32.480781	Outfall 70
CHATAHOOCHEE RIVER	FLUME	-84.995336	32.478622	Outfall 69
CHATAHOOCHEE RIVER	24" CMP	-84.995558	32.478169	Outfall 68

32.469840 -85.013920 32.469850 -85.013920 32.478991 -85.026190 32.478850 -85.026190 32.478720 -85.021264 32.477402 -85.017163 32.488556 -85.026133 32.473952 -85.026133 32.473971 -85.026100 32.473971 -85.026100 32.473971 -85.026203 32.474101 -85.026203 32.4774010 -85.026302 32.4774010 -85.025948 32.472633 -85.025948 32.473850 -85.025948 32.473921 -85.025948 32.473921 -85.025948 32.473921 -85.025948 32.473921 -85.025948 32.473921 -85.025948 32.47367 -85.025948 32.47367 -85.025948 32.47369 -85.025956 32.47369 -85.021936 32.474578 -85.021936 32.474578 -85.021583 32.474551 -85.021583 32.475652 -85.019699 32.473680 -85.029551	Outfall 102	32.471069	-85.014723	24" CONCRETE PIPE	UNNAMED TRIBUTARY
32.469850 -85.013850 32.488361 -85.030111 32.479991 -85.026190 32.478850 -85.021264 32.47720 -85.021264 32.474402 -85.017163 32.488566 -85.028844 32.473952 -85.026100 32.473971 -85.026100 32.473942 -85.026100 32.477101 -85.026302 32.4774101 -85.02683 32.4773904 -85.026801 32.4773904 -85.028801 32.4773904 -85.028801 32.477363 -85.025740 32.477363 -85.025740 32.47367 -85.025948 32.47367 -85.023044 32.473520 -85.023044 32.474551 -85.021562 32.474551 -85.021562 32.475652 -85.018919 32.473680 -85.02951	Outfall 103	32.469840	-85.013920	24" CONCRETE PIPE	UNNAMED TRIBUTARY
32.488361 -85.030111 32.479991 -85.026190 32.478850 -85.023311 32.478720 -85.021264 32.474402 -85.017163 32.467072 -85.001814 32.488556 -85.026133 32.473952 -85.026100 32.473942 -85.026100 32.473941 -85.026083 32.4774101 -85.026587 32.4773904 -85.026302 32.4774009 -85.028801 32.4772869 -85.028801 32.4772869 -85.031381 32.4772633 -85.025948 32.4772633 -85.025948 32.4773520 -85.025948 32.473921 -85.025948 32.473921 -85.025948 32.473921 -85.023044 32.47349 -85.021562 32.474551 -85.021562 32.474552 -85.018919 32.473680 -85.029551	Outfall 104	32.469850	-85.013850	24" CONCRETE PIPE	UNNAMED TRIBUTARY
32.479991 -85.026190 32.478850 -85.023311 32.478720 -85.023311 32.478720 -85.021264 32.478720 -85.021264 32.467072 -85.001814 32.488556 -85.0208844 32.484768 -85.026100 32.473971 -85.026100 32.473942 -85.026083 32.474101 -85.026083 32.474101 -85.026801 32.472869 -85.028801 32.472869 -85.028801 32.472633 -85.02578 32.472633 -85.025778 32.473367 -85.025778 32.473367 -85.025262 32.473367 -85.023044 32.4734369 -85.021562 32.474551 -85.021562 32.474552 -85.01669 32.473680 -85.01969 32.473680 -85.029751	Outfall 105	32.488361	-85.030111	DITCH/TRIBUTARY CREEK	HOLLAND "MILL" CREEK
32.478850 -85.023311 32.478720 -85.021264 32.478402 -85.017163 32.467072 -85.001814 32.488556 -85.028844 32.484768 -85.026130 32.473952 -85.026100 32.473942 -85.026083 32.474111 -85.026587 32.474909 -85.026587 32.472714 -85.028801 32.472714 -85.031381 32.472714 -85.031582 32.473367 -85.025948 32.473367 -85.025778 32.473367 -85.025740 32.473367 -85.025740 32.4734367 -85.021936 32.474578 -85.021936 32.474578 -85.021562 32.474551 -85.018919 32.473680 -85.02951	Outfall 106	32.479991	-85.026190	15" RCP	HOLLAND "MILL" CREEK
32.478720 -85.021264 32.474402 -85.017163 32.467072 -85.001814 32.488556 -85.028844 32.473952 -85.026100 32.473942 -85.026100 32.474101 -85.02683 32.474101 -85.026801 32.472869 -85.028801 32.472714 -85.028801 32.472410 -85.025948 32.472453 -85.025778 32.473367 -85.025740 32.473367 -85.025262 32.473921 -85.021562 32.474578 -85.021562 32.474551 -85.021562 32.475652 -85.018919 32.473680 -85.029751	Outfall 107	32.478850	-85.023311	36" CMP	
32.474402 -85.017163 32.467072 -85.001814 32.488556 -85.030772 32.484768 -85.028844 32.473952 -85.026133 32.473971 -85.026100 32.473942 -85.026083 32.474111 -85.026587 32.473904 -85.026587 32.472869 -85.028801 32.472714 -85.031381 32.472714 -85.031381 32.472714 -85.031582 32.472633 -85.025740 32.473830 -85.025740 32.473830 -85.025740 32.473830 -85.025262 32.474349 -85.021562 32.474578 -85.021562 32.4745708 -85.021583 32.475508 -85.019699 32.473680 -85.02951	Outfall 108	32.478720	-85.021264	FLUME	HOLLAND "MILL" CREEK
32.467072 -85.001814 32.488556 -85.028844 32.473952 -85.026133 32.473971 -85.026100 32.473942 -85.026100 32.474101 -85.026587 32.474909 -85.028801 32.472714 -85.031582 32.472714 -85.025948 32.472633 -85.025948 32.473367 -85.025778 32.473830 -85.025262 32.4734349 -85.021855 32.474578 -85.021855 32.474551 -85.021583 32.475708 -85.019699 32.473680 -85.02951	Outfall 109	32.474402	-85.017163	24" RCP	HOLLAND "MILL" CREEK
32.488556 -85.030772 32.484768 -85.028844 32.473952 -85.026133 32.473971 -85.026100 32.473942 -85.026100 32.474111 -85.026587 32.474009 -85.028801 32.472869 -85.031381 32.472869 -85.031582 32.4724101 -85.025948 32.472453 -85.025948 32.472453 -85.025778 32.47367 -85.025740 32.47367 -85.025740 32.473830 -85.025262 32.473849 -85.021855 32.474578 -85.021855 32.474551 -85.021562 32.475708 -85.019699 32.473680 -85.02951	Outfall 110	32.467072	-85.001814	MONITORING LOCATION 2	HOLLAND "MILL" CREEK
32.484768 -85.028844 32.473952 -85.026133 32.473941 -85.026100 32.473942 -85.026083 32.474111 -85.026587 32.473904 -85.028302 32.473909 -85.028801 32.472869 -85.031381 32.472714 -85.031381 32.472453 -85.025948 32.472453 -85.025778 32.47367 -85.025740 32.47367 -85.025262 32.473921 -85.023483 32.473921 -85.023483 32.474349 -85.021855 32.474551 -85.021562 32.474551 -85.021583 32.475708 -85.019699 32.473680 -85.02951	Outfall 111	32.488556	-85.030772	MONITORING LOCATION 4	HOLLAND/MILL CREEK
32.473952 -85.026133 32.473971 -85.026100 32.473942 -85.026083 32.474101 -85.026100 32.474112 -85.026587 32.473904 -85.028302 32.472869 -85.031381 32.472714 -85.031582 32.472714 -85.025778 32.472633 -85.025778 32.473520 -85.025740 32.473830 -85.025262 32.473921 -85.023044 32.4734367 -85.021855 32.474578 -85.021562 32.474578 -85.021583 32.475708 -85.019699 32.475652 -85.019699 32.473680 -85.02951	Outfall 112	32.484768	-85.028844	24" RCP	HOLLAND "MILL" CREEK
32.473971 -85.026100 32.473942 -85.026083 32.474111 -85.026587 32.474112 -85.026587 32.473904 -85.028302 32.473909 -85.031381 32.472869 -85.031381 32.472714 -85.025948 32.472453 -85.025778 32.472633 -85.025778 32.473367 -85.025740 32.473367 -85.025262 32.473921 -85.023483 32.474349 -85.021855 32.474578 -85.021855 32.474551 -85.021562 32.475708 -85.019699 32.475652 -85.019699 32.473680 -85.02951	Outfall 113	32.473952	-85.026133	FLUME	UNNAMED TRIBUTARY
32.473942 -85.026083 32.474101 -85.026100 32.474112 -85.026587 32.473904 -85.028302 32.474009 -85.031381 32.472714 -85.031582 32.472410 -85.02578 32.472453 -85.025778 32.472633 -85.025778 32.473520 -85.025262 32.473921 -85.023483 32.473921 -85.023044 32.47367 -85.021855 32.474578 -85.021855 32.474551 -85.021562 32.475708 -85.019699 32.475652 -85.019699 32.473680 -85.029251	Outfall 114	32.473971	-85.026100	FLUME	UNNAMED TRIBUTARY
32.474101 -85.026100 32.474112 -85.026587 32.473904 -85.028302 32.474009 -85.028801 32.472869 -85.031381 32.472714 -85.025948 32.472453 -85.025778 32.472633 -85.025740 32.473520 -85.025262 32.473520 -85.023044 32.473667 -85.021936 32.474578 -85.021562 32.474578 -85.021562 32.474551 -85.021583 32.475652 -85.019699 32.473680 -85.02951	Outfall 115	32.473942	-85.026083	18" RCP	UNNAMED TRIBUTARY
32.474112 -85.026587 32.473904 -85.028302 32.474009 -85.028801 32.472869 -85.031381 32.472714 -85.031582 32.472453 -85.025948 32.472453 -85.025770 32.473367 -85.025262 32.473320 -85.023044 32.473921 -85.021936 32.474349 -85.021936 32.474578 -85.021562 32.474551 -85.021583 32.475708 -85.019699 32.475652 -85.019699 32.473680 -85.029251	Outfall 116	32.474101	-85.026100	30" RCP	UNNAMED TRIBUTARY
32.473904 -85.028302 32.474009 -85.028801 32.472869 -85.031381 32.472714 -85.031582 32.472410 -85.025948 32.472453 -85.025778 32.472633 -85.025740 32.473520 -85.024956 32.473830 -85.023044 32.473921 -85.023044 32.474367 -85.021936 32.474578 -85.021562 32.474578 -85.021562 32.474551 -85.021583 32.475708 -85.019699 32.475652 -85.019699 32.473680 -85.02951	Outfall 117	32.474112	-85.026587	18" CMP	UNNAMED TRIBUTARY
32.474009 -85.028801 32.472869 -85.031381 32.472714 -85.031582 32.474010 -85.025948 32.472453 -85.025778 32.472633 -85.025740 32.473367 -85.025262 32.473320 -85.023483 32.473921 -85.021936 32.474349 -85.021936 32.474578 -85.021562 32.474578 -85.021583 32.475708 -85.019699 32.475652 -85.019699 32.473680 -85.02951	Outfall 118	32.473904	-85.028302	14" HDP	UNNAMED TRIBUTARY
32.472869 -85.031381 32.472714 -85.031582 32.474010 -85.025948 32.472453 -85.025778 32.472633 -85.025740 32.473520 -85.024956 32.473830 -85.023044 32.473921 -85.023044 32.474349 -85.021855 32.474578 -85.021562 32.474551 -85.021583 32.475708 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 119	32.474009	-85.028801	12" RCP	UNNAMED TRIBUTARY
32.472714 -85.031582 32.474010 -85.025948 32.472453 -85.025778 32.472633 -85.025740 32.473367 -85.025262 32.473520 -85.023943 32.473830 -85.023044 32.4734367 -85.021936 32.474578 -85.021562 32.474578 -85.021562 32.474578 -85.021583 32.475708 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 120	32.472869	-85.031381	16" CMP	UNNAMED TRIBUTARY
32.474010 -85.025948 32.472453 -85.025778 32.472633 -85.025740 32.473367 -85.025262 32.473520 -85.024956 32.473921 -85.023044 32.473921 -85.021936 32.474349 -85.021936 32.474578 -85.021562 32.474551 -85.021583 32.475708 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 121	32.472714	-85.031582	36"CMP	UNNAMED TRIBUTARY
32.472453 -85.025778 32.472633 -85.025740 32.473367 -85.025262 32.473520 -85.024956 32.473830 -85.023044 32.4734367 -85.021936 32.474349 -85.021855 32.474578 -85.021562 32.474578 -85.021583 32.475708 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 122	32.474010	-85.025948	FLUME	UNNAMED TRIBUTARY
32.472633 -85.025740 32.473367 -85.025262 32.473520 -85.024956 32.473830 -85.023483 32.473921 -85.023044 32.474367 -85.021936 32.474349 -85.021855 32.474578 -85.021562 32.474551 -85.021583 32.475708 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 123	32.472453	-85.025778	FLUME	UNNAMED TRIBUTARY
32.473367 -85.025262 32.473520 -85.024956 32.473830 -85.023483 32.473921 -85.023044 32.474367 -85.021936 32.474349 -85.021855 32.474578 -85.021562 32.474551 -85.021583 32.475708 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 124	32.472633	-85.025740	FLUME	UNNAMED TRIBUTARY
32.473520 -85.024956 32.473830 -85.023483 32.473921 -85.023044 32.474367 -85.021936 32.474349 -85.021855 32.474578 -85.021562 32.474578 -85.021583 32.475652 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 125	32.473367	-85.025262	18" CONCRETE PIPE	UNNAMED TRIBUTARY
32.473830 -85.023483 32.473921 -85.023044 32.474367 -85.021936 32.474349 -85.021855 32.474578 -85.021562 32.474551 -85.021583 32.475708 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 126	32.473520	-85.024956	FLUME	UNNAMED TRIBUTARY
32.473921 -85.023044 32.474367 -85.021936 32.474349 -85.021855 32.474578 -85.021562 32.474551 -85.021583 32.475708 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 127	32.473830	-85.023483	48" CMP	UNNAMED TRIBUTARY
32.474367 -85.021936 32.474349 -85.021855 32.474578 -85.021562 32.474551 -85.021583 32.475652 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 128	32.473921	-85.023044	4" CLAY	UNNAMED TRIBUTARY
32.474349 -85.021855 32.474578 -85.021562 32.474551 -85.021583 32.475708 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 129	32.474367	-85.021936	18" RCP	UNNAMED TRIBUTARY
32.474578 -85.021562 32.474551 -85.021583 32.475708 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 130	32.474349	-85.021855	18" RCP	UNNAMED TRIBUTARY
32.474551 -85.021583 32.475708 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 131	32.474578	-85.021562	18" RCP	UNNAMED TRIBUTARY
32.475708 -85.019699 32.475652 -85.018919 32.473680 -85.029251	Outfall 132	32.474551	-85.021583	18" RCP	UNNAMED TRIBUTARY
32.475652 -85.018919 32.473680 -85.029251	Outfall 133	32.475708	-85.019699	18" RCP	UNNAMED TRIBUTARY
32.473680 -85.029251	Outfall 134	32.475652	-85.018919	24" CMP	UNNAMED TRIBUTARY
	Outfall 135	32.473680	-85.029251	24" RCP	UNNAMED TRIBUTARY

Mill Creek	DITCH	-85.036335994	32.490097084	Outfall 169
Mill Creek	DITCH	-85.039212984	32.491498900	Outfall 168
Holland Creek	36 CMP	-85.033447358	32.491378196	Outfall 167
Holland Creek	FLUME	-85.033593146	32.490591247	Outfall 166
Holland Creek	FLUME	-85.033337019	32.490356543	Outfall 165
Holland Creek	FLUME	-85.032990171	32.490226229	Outfall 164
Holland Creek	18 HDP	-85.033646838	32.494908550	Outfall 163
Holland Creek	36 RCP	-85.033115114	32.495713662	Outfall 162
Holland Creek	48 RCP	-85.033031599	32.496649919	Outfall 161
HOLLAND CREEK	Ditch	-85.035865085	32.498658912	Outfall 160
UNNAMED TRIBUTARY	16" CONCRETE PIPE	-85.031361	32.472849	Outfall 159
MOON LAKE/OUTFALL	24" RCP	-85.007185	32.497367	Outfall 158
MOON LAKE	15" RCP	-85.007304	32.497319	Outfall 157
MOON LAKE	24" RCP	-85.008152	32.497415	Outfall 156
MOON LAKE	24" RCP	-85.009379	32.497676	Outfall 155
MOON LAKE	12" RCP	-85.011624	32.498180	Outfall 154
MOON LAKE	36" RCP	-85.011667	32.498205	Outfall 153
MOON LAKE	36" RCP	-85.011692	32.498241	Outfall 152
MOON LAKE	24" RCP	-85.011602	32.498448	Outfall 151
MOON LAKE	24" RCP	-85.009969	32.499079	Outfall 150
MOON LAKE	12" RCP	-85.008303	32.499580	Outfall 149
MOON LAKE	12" RCP	-85.007409	32.499732	Outfall 148
UNNAMED TRIBUTARY	FLUME	-85.018912	32.465820	Outfall 147
UNNAMED TRIBUTARY	24" RCP	-85.032526	32.494506	Outfall 146
UNNAMED TRIBUTARY	FLUME	-85.029734	32.496283	Outfall 145
UNNAMED TRIBUTARY	24" RCP	-85.029904	32.496221	Outfall 144
UNNAMED TRIBUTARY	24" RCP	-85.029909	32.496188	Outfall 143
UNNAMED TRIBUTARY	FLUME	-85.029880	32.496240	Outfall 142
UNNAMED TRIBUTARY	18" RCP	-85.034726	32.502828	Outfall 141
UNNAMED TRIBUTARY	18" RCP	-85.034496	32.504709	Outfall 140
UNNAMED TRIBUTARY	18" RCP	-85.034120	32.505976	Outfall 139
UNNAMED TRIBUTARY	18" RCP	-85.033211	32.473182	Outfall 138
UNNAMED TRIBUTARY	18" RCP	-85.033098	32.471806	Outfall 137
UNNAMED TRIBUTARY	18" RCP	-85.033148	32.471830	Outfall 136

Cochgalechee Creek	18 RCP	-85.011317536	32.431619502	Outfall 202
ם מ	18 RCP	-85.010778892	32.431078264	Outfall 201
ee ee	12 RCP	-85.010787336	32.431278582	Outfall 200
ee e	18 CMP	-85.009832670	32.430094889	Outfall 199
Cochgalechee Creek	18 RCP	-85.008736594	32.429536785	Outfall 198
Cochgalechee Creek	18 RCP	-85.008724683	32.429446519	Outfall 197
Cochgalechee Creek	30 RCP	-85.006865315	32.428505307	Outfall 196
Cochgalechee Creek	18 RCP	-85.007526308	32.428789013	Outfall 195
Cochgalechee Creek	18 RCP	-85.013519717	32.435547945	Outfall 194
Cochgalechee Creek	DITCH	-85.012640743	32.435224038	Outfall 193
UNNAMED TRIBUTARY	DITCH	-85.030393657	32.443286063	Outfall 192
UNNAMED TRIBUTARY	24 RCP	-85.030450837	32.443635415	Outfall 191
UNNAMED TRIBUTARY	18 RCP	-85.028436315	32.440399403	Outfall 190
UNNAMED TRIBUTARY	18 RCP	-85.030127613	32.442536958	Outfall 189
UNNAMED TRIBUTARY	18 RCP	-85.030222424	32.442503368	Outfall 188
UNNAMED TRIBUTARY	18 RCP	-85.028756563	32.441130135	Outfall 187
UNNAMED TRIBUTARY	18 RCP	-85.028970450	32.441078757	Outfall 186
UNNAMED TRIBUTARY	18 RCP	-85.028768647	32.440453667	Outfall 185
UNNAMED TRIBUTARY	24 RCP	-84.999843536	32.435710913	Outfall 184
UNNAMED TRIBUTARY	24 RCP	-84.994198205	32.436336993	Outfall 183
UNNAMED TRIBUTARY	24 RCP	-84.994367715	32.436864409	Outfall 182
UNNAMED TRIBUTARY	DITCH	-84.992935768	32.434745306	Outfall 181
UNNAMED TRIBUTARY	24 RCP	-84.993033331	32.434743038	Outfall 180
Mill Creek	24 RCP	-85.016251049	32.473105621	Outfall 179
Mill Creek	24 RCP	-85.016251049	32.473105621	Outfall 178
Mill Creek	24 RCP	-85.016339183	32.473039716	Outfall 177
Mill Creek	24 CMP	-85.016404662	32.472986649	Outfall 176
Mill Creek	24 RCP	-85.016212855	32.472807013	Outfall 175
Mill Creek	DITCH	-85.016013490	32.472568314	Outfall 174
Mill Creek	24 RCP	-85.015780489	32.472262519	Outfall 173
Mill Creek	48 RCP	-85.027867564	32.481229950	Outfall 172
Mill Creek	42 RCP	-85.023693289	32.479432621	Outfall 171
Mill Creek	72 RCP	-85.035496730	32.489047968	Outfall 170


Outfall 204	32.432432558	-85.011997737	DITCH	Cochgalechee Creek
Outfall 205	32.433068150	-85.011802243	18 RCP	ee
Outfall 206	32.435062424	-85.011994414	FLUME	Cochgalechee Creek
Outfall 207	32.435176647	-85.012012445	FLUME	Cochgalechee Creek
Outfall 208	32.433455735	-85.016130248	14 RCP	UNNAMED TRIBUTARY
Outfall 209	32.433158047	-85.016328400	18 RCP	UNNAMED TRIBUTARY
Outfall 210	32.432062867	-85.019557518	24 RCP	UNNAMED TRIBUTARY
Outfall 211	32.432025499	-85.019643342	FLUME	UNNAMED TRIBUTARY
Outfall 212	32.484142341	-85.024036887	FLUME	UNNAMED TRIBUTARY
Outfall 213	32.484044980	-85.024021996	18 RCP	UNNAMED TRIBUTARY
Outfall 214	32.433537290	-85.016058980	FLUME	UNNAMED TRIBUTARY
Outfall 215	32.432112267	-85.019629054	FLUME	UNNAMED TRIBUTARY
Outfall 216	32.431727996	-85.020108263	DITCH	UNNAMED TRIBUTARY
Outfall 217	32.431704616	-85.020507134	18 RCP	UNNAMED TRIBUTARY
Outfall 218	32.431304441	-85.020884382	30 CMP	UNNAMED TRIBUTARY
Outfall 219	32.431223690	-85.021333238	24 RCP	UNNAMED TRIBUTARY
Outfall 220	32.431433540	-85.023318999	14 RCP	UNNAMED TRIBUTARY
Outfall 221	32.431433540	-85.023318990	24 RCP	UNNAMED TRIBUTARY
Outfall 222	32.524115316	-85.033036516	24 RCP	UNNAMED TRIBUTARY
Outfall 223	32.484808510	-85.021832760	24 RCP	UNNAMED TRIBUTARY
Outfall 224	32.485565998	-85.020972468	24 RCP	UNNAMED TRIBUTARY
Outfall 225	32.441945009	-85.038688622	FLUME	UNNAMED TRIBUTARY
Outfall 226	32.440555203	-85.034554401	DITCH	Cochgalechee Creek
Outfall 227	32.439701843	-85.033848353	24 RCP	Cochgalechee Creek
Outfall 228	32.476603283	-85.010135805	14 RCP	UNNAMED TRIBUTARY
Outfall 229	32.476601265	-85.009980611	18 RCP	UNNAMED TRIBUTARY
Outfall 230	32.476633124	-85.009988336	FLUME	UNNAMED TRIBUTARY
Outfall 231	32.475588329	-85.010476398	INLET	UNNAMED TRIBUTARY
Outfall 232	32.475678187	-85.010470914	INLET	UNNAMED TRIBUTARY
Outfall 233	32.475953119	-85.010710816	INLET	UNNAMED TRIBUTARY
Outfall 234	32.476120490	-85.010799905	INLET	UNNAMED TRIBUTARY
Outfall 235	32.474673837	-85.010530668	INLET	UNNAMED TRIBUTARY
Outfall 236	32.474584739	-85.010583056	INLET	UNNAMED TRIBUTARY
Outfall 237	32.474349504	-85.010768256	INLET	UNNAMED TRIBUTARY

Cochgalechee Creek	6IN PVC	-85.029377726	32.448044790	Outfall 271
Cochgalechee Creek	FLUME	-85.029275270	32.447562930	Outfall 270
Cochgalechee Creek	FLUME	-85.029496827	32.447510094	Outfall 269
Cochgalechee Creek	15 RCP	-85.029897791	32.447181422	Outfall 268
Cochgalechee Creek	18 RCP	-85.029342508	32.447032523	Outfall 267
Cochgalechee Creek	24 RCP	-85.030169567	32.444423955	Outfall 266
Cochgalechee Creek	18 RCP	-85.029701508	32.445286555	Outfall 265
Cochgalechee Creek	10IN STEEL	-85.029542977	32.446016986	Outfall 264
Holland Creek	18 RCP	-85.033636157	32.497883411	Outfall 263
Holland Creek	24 RCP	-85.033476980	32.497516803	Outfall 262
UNNAMED TRIBUTARY	24 RCP	-85.029895020	32.499308544	Outfall 261
UNNAMED TRIBUTARY	14 RCP	-85.029410669	32.496452885	Outfall 260
UNNAMED TRIBUTARY	INLET	-85.028847868	32.496903992	Outfall 259
UNNAMED TRIBUTARY	INLET	-85.028992513	32.496706357	Outfall 258
UNNAMED TRIBUTARY	24 RCP	-85.022997074	32.482106429	Outfall 257
UNNAMED TRIBUTARY	24 RCP	-85.023652380	32.482439707	Outfall 256
Holland Creek	12 RCP	-85.023843931	32.480481297	Outfall 255
UNNAMED TRIBUTARY	SPILLWAY	-85.028155882	32.500547058	Outfall 254
UNNAMED TRIBUTARY	20 RCP	-85.028109227	32.500563704	Outfall 253
UNNAMED TRIBUTARY	FLUME	-85.029175993	32.499766776	Outfall 252
UNNAMED TRIBUTARY	INLET	-85.028969423	32.499856979	Outfall 251
UNNAMED TRIBUTARY	INLET	-85.028756459	32.500001661	Outfall 250
UNNAMED TRIBUTARY	INLET	-85.028681926	32.500076359	Outfall 249
UNNAMED TRIBUTARY	18 RCP	-85.030322229	32.498828459	Outfall 248
Cochgalechee Creek	36 CMP	-85.006885197	32.428681389	Outfall 247
UNNAMED TRIBUTARY	24 CMP	-84.999414279	32.424546341	Outfall 246
UNNAMED TRIBUTARY	14 RCP	-84.998682842	32.424228188	Outfall 245
UNNAMED TRIBUTARY	18 RCP	-84.998839596	32.423907365	Outfall 244
UNNAMED TRIBUTARY	24 RCP	-85.008454258	32.450574473	Outfall 243
UNNAMED TRIBUTARY	24 RCP	-85.009571672	32.451012468	Outfall 242
UNNAMED TRIBUTARY	18 RCP	-85.009574824	32.450944745	Outfall 241
UNNAMED TRIBUTARY	DITCH	-84.997923564	32.447201762	Outfall 240
UNNAMED TRIBUTARY	INLET	-85.011014887	32.473916954	Outfall 239
UNNAMED TRIBUTARY	INLET	-85.010941157	32.474159649	Outfall 238

UNNAMED TRIBUTARY	14RCP	-85.002848421	32.44744576	Outfall 305
UNNAMED TRIBUTARY	FLUME	-85.007895990	32.500721892	Outfall 304
UNNAMED TRIBUTARY	FLUME	-85.007964524	32.500819760	Outfall 303
UNNAMED TRIBUTARY	FLUME	-85.007755665	32.500796583	Outfall 302
UNNAMED TRIBUTARY	FLUME	-85.007819463	32.500726541	Outfall 301
UNNAMED TRIBUTARY	36 RCP	-85.024055525	32.485265543	Outfall 300
UNNAMED TRIBUTARY	18 RCP	-85.023417872	32.486810876	Outfall 299
UNNAMED TRIBUTARY	24 RCP	-85.022891917	32.487779144	Outfall 298
UNNAMED TRIBUTARY	14 RCP	-85.022910214	32.487796127	Outfall 297
UNNAMED TRIBUTARY	24 RCP	-85.023292574	32.486930433	Outfall 296
UNNAMED TRIBUTARY	FLUME	-85.022935082	32.487429613	Outfall 295
UNNAMED TRIBUTARY	FLUME	-85.022215965	32.487992528	Outfall 294
UNNAMED TRIBUTARY	FLUME	-85.021440086	32.488333766	Outfall 293
UNNAMED TRIBUTARY	18 RCP	-85.021225547	32.488890040	Outfall 292
UNNAMED TRIBUTARY	18 RCP	-85.020893987	32.489384794	Outfall 291
UNNAMED TRIBUTARY	24 HDPE	-85.020650533	32.489438443	Outfall 290
UNNAMED TRIBUTARY	FLUME	-85.020007875	32.489706671	Outfall 289
UNNAMED TRIBUTARY	70 RCP	-85.016908039	32.492684477	Outfall 288
UNNAMED TRIBUTARY	16 RCP	-85.016933942	32.492748375	Outfall 287
UNNAMED TRIBUTARY	70 RCP	-85.017195896	32.492469513	Outfall 286
UNNAMED TRIBUTARY	30 RCP	-85.017373851	32.492214902	Outfall 285
UNNAMED TRIBUTARY	24IN STEEL	-85.017999378	32.491072547	Outfall 284
UNNAMED TRIBUTARY	42 RCP	-85.019162038	32.490190261	Outfall 283
UNNAMED TRIBUTARY	36 RCP	-85.019354747	32.489938571	Outfall 282
UNNAMED TRIBUTARY	FLUME	-85.019360985	32.489903079	Outfall 281
UNNAMED TRIBUTARY	INLET	-85.003618030	32.470661331	Outfall 280
UNNAMED TRIBUTARY	FLUME	-85.003515959	32.473118691	Outfall 279
UNNAMED TRIBUTARY	24 CLAY	-85.003662719	32.472877801	Outfall 278
UNNAMED TRIBUTARY	INLET	-85.003670037	32.470928373	Outfall 277
UNNAMED TRIBUTARY	18 RCP	-85.003515424	32.469515491	Outfall 276
Mill Creek	20 HDPE	-85.005951201	32.468084877	Outfall 275
UNNAMED TRIBUTARY	24 RCP	-85.026382154	32.471891103	Outfall 274
UNNAMED TRIBUTARY	18 RCP	-85.025798065	32.472397852	Outfall 273
Cochgalechee Creek	18 RCP	-85.029255001	32.448496534	Outfall 272

UNNAMED TRIBUTARY	FLUME	-85.009359963	32.46746479	Outfall 339
UNNAMED TRIBUTARY	INLET	-85.009459559	32.46746547	Outfall 338
UNNAMED TRIBUTARY	24RCP	-85.016858817	32.45573923	Outfall 337
UNNAMED TRIBUTARY	FLUME	-85.016876426	32.45575252	Outfall 336
UNNAMED TRIBUTARY	48RCP	-85.064223058	32.4926694	Outfall 335
UNNAMED TRIBUTARY	30RCP	-85.064409221	32.49268859	Outfall 334
UNNAMED TRIBUTARY	24RCP	-85.06394886	32.49499036	Outfall 333
UNNAMED TRIBUTARY	36RCP	-85.063374629	32.49537651	Outfall 332
UNNAMED TRIBUTARY	18RCP	-85.063514627	32.49647385	Outfall 331
UNNAMED TRIBUTARY	16CMP	-85.011834255	32.4794941	Outfall 330
UNNAMED TRIBUTARY	INLET	-85.011826032	32.47964945	Outfall 329
UNNAMED TRIBUTARY	18RCP	-85.011938636	32.4806199	Outfall 328
UNNAMED TRIBUTARY	18RCP	-85.011902438	32.4807124	Outfall 327
UNNAMED TRIBUTARY	16RCP	-85.011940623	32.48070145	Outfall 326
UNNAMED TRIBUTARY	INLET	-85.016128258	32.4680617	Outfall 325
UNNAMED TRIBUTARY	INLET	-85.016140377	32.46799572	Outfall 324
UNNAMED TRIBUTARY	36RCP	-85.010690659	32.48232669	Outfall 323
UNNAMED TRIBUTARY	36RCP	-85.010600988	32.48232671	Outfall 322
UNNAMED TRIBUTARY	INLET	-85.011640204	32.48196764	Outfall 321
UNNAMED TRIBUTARY	INLET	-85.011592968	32.48202867	Outfall 320
UNNAMED TRIBUTARY	18RCP	-85.015130918	32.48734912	Outfall 319
UNNAMED TRIBUTARY	INLET	-85.014625165	32.48383181	Outfall 318
UNNAMED TRIBUTARY	24RCP	-85.014690853	32.48384305	Outfall 317
	18CMP	-84.998859156	32.43849137	Outfall 316
UNNAMED TRIBUTARY	14RCP	-85.012351127	32.43609241	Outfall 315
UNNAMED TRIBUTARY	FLUME	-85.012729653	32.44246669	Outfall 314
UNNAMED TRIBUTARY	INLET	-85.012706922	32.44239615	Outfall 313
UNNAMED TRIBUTARY	INLET	-85.012520995	32.44542526	Outfall 312
UNNAMED TRIBUTARY	INLET	-85.012589252	32.44543343	Outfall 311
UNNAMED TRIBUTARY	INLET	-85.013425127	32.43748774	Outfall 310
UNNAMED TRIBUTARY	18RCP	-85.012283917	32.43751933	Outfall 309
UNNAMED TRIBUTARY	FLUME	-85.014142967	32.43756022	Outfall 308
UNNAMED TRIBUTARY	18RCP	-85.014073682	32.4375283	Outfall 307
UNNAMED TRIBUTARY	24HDPE	-85.013710679	32.43622711	Outfall 306

UNNAMED TRIBUTARY	18RCP	-85.017408868	32.43730881	Outfall 345
UNNAMED TRIBUTARY	18RCP	-85.017407402	32.43739417	Outfall 344
UNNAMED TRIBUTARY	24RCP	-85.017490091	32.43738036	Outfall 343
UNNAMED TRIBUTARY	INLET	-85.010095869	32.46568132	Outfall 342
UNNAMED TRIBUTARY	INLET	-85.010120656	32.46568903	Outfall 341
UNNAMED TRIBUTARY	INLET	-85.01017262	32.46556645	Outfall 340





Public Education and Public Involvement On Storm Water Impacts

Help the Hooch on City Marquees









Home Bill Pay





COVID-19 Government Doing Business Services

Our Community How Do I... Q

Help the Hooch October 2

Help the Hooch Mission

To engage and educate individuals to take greater responsibility for enhancing beautification, protecting the environment, and eliminating litter and blight.

Activities

On October 2nd, Keep Columbus Beautiful will be hosting our Annual Help the Hooch Community Clean-up! We will canvas over 20 locations throughout the Chattahoochee with a mission of a Peachy Clean Columbus.

Details

Date:

October 2

Event Categories:

Beautification
Project, Special Event

Event Tags:

Social Media

+ Google Calendar

+ iCal Export

Related Events =







Masters of Soul with

<u>Puddles</u> <u>Pity Party</u> <u>Public</u> <u>Hearings:</u>

<u>The</u> <u>Chemistry</u> @ Phenix
City

Fixing of

Costs

<u>Project @ Amphitheater</u>

Venue

City of Phenix City

601 12th St.
Phenix City, AL
36867 United
States



Phone:

334-448-2701



Phenix City Art Park October 16 @ 7:00 pm EDT

October 19 @ 9:00 am EDT

October 8 @ 8:00 pm EDT

Share This! Choose Your Platform!







Planning
Commission
Meeting

City Council Work Session >



Fx: 334-448-2721 October 08, 2021

Hours

Monday -Friday

8 a.m. - 5 p.m., ET MeetingSummary:September28, 2021PlanningCommissionMeeting

Public

 Hearings:
 Demolition
 of
 Structures
 on October
 19, 2021

Public
 Notice:
 Zoom
 Council
 Meetings
 for
 remainder
 of 2021

FAQs

How Do I...?

City
Council
Work
Session

October 4 @ 3:00 pm EDT

View More...

© Copyright 2021 - Phenix City, AL | Privacy Policy | Terms of Use | Website Developed by Phenix City Information Technology







T

Trash trap to be installed

Watergoat system to be installed in Mill Creek on June 29

By Toni Shah

tstauffer@citizenea.com

The Chattahoochee River Conservancy will be installing a Watergoat trash trap in Mill Creek on June 29. The stream trash collection device is a series of buoys and netting that floats across the waterway and is anchored on both banks. The trap prevents trash from entering the river. Volunteers from the CRC clean out the trap on a regular basis.

"Non-point source pollution is one of the biggest water quality issues we face, "CRC Executive Director Chris Largent said. "Discarded litter alongside the roadways collects in stormwater drains, and from there it is carried into the nearest creek or stream after heavy rains. These creeks and streams feed the Chattahoochee as part of its watershed. The litter pollutes the river and poses a risk to humans and wildlife alike."

Last spring, CRC installed an identical trap on Bull Creek in Columbus. Since its installation, CRC staff and volunteers have collected more than 1,000 pounds of trash from the watershed, mostly plastic bottles, Styrofoam particles, and cigarette butts. The data collected will be used to work with companies and manufacturers to help control litter and motivate product users to be more conscious with their trash.

"We, Watergoat, consider our association with CRC an honor," Mark Maksimowicz, owner of Watergoat, LLC, said. "Georgia is well served by their commitment to clean waters and emphasis on data collection and education. The CRC team is the embodiment of our motto, 'Saving The Ocean

Starts In Your Neighborhood'."

The trap on Mill Creek is possible due to the generous support of the Mildred Miller Fort Foundation, Bass Pro Shops, and Cabela's Outdoor Fund. The Chattahoochee River Conservancy is a local 501(c)3 environmental nonprofit organization, whose mission is to protect and preserve the Chattahoochee River and its watershed. For more information on other projects or how to become involved, please visit www.chattriver.org. This article is an update from a June 16, 2021 press release to the feature article "Trash trap for Mill Creek waiting approval," which appeared in the April 19, 2021 issue of The Citizen.

Area ever

Uptown Mayor Ski Lowe, anno Kayaking Champion hoochee Ri will be for


The Wo tions on di Oct. 7-9, 20 - July 1, 202 Champion since 2013.

"Attract will genera City and Co nix City M these even economic o more busin

> 1323 B Phenix

706.615 Monday

9 am to





Storm Water Educational Materials










Fertilizing the Lawn. Remember... Fertilizing the Lawn, You're Not Just When You're



and use sparingly. So, if you fertilize, please follow directions up oxygen that fish need to survive and thrive storm drain, and directly into our waterways. washes the fertilizer along the curb, into the The nutrients encourage algae to grow, using You fertilize the lawn. Then it rains. The rain

> Oil on the Street, Oil on the Street. It's Not Just Leaking Remember... When Your Car Leaks



drain and into our lakes, streams and bays water. So please, fix oil leaks. that finds its way from leaky gaskets into our nity and you can imagine the amount of oil and is washed from the street into the storm Leaking oil goes from your car to the street Imagine the number of cars in your commu-



Thanks to the Washington Department of Ecology, King County, and the cities of Bellevue, Seattle, and Tacoma.

Clean Water Partnership

Your Car in the Driveway, Remember... When You're Washing You're Not Just Washing Your Car in the Driveway.



car on the grass or gravel instead of on the aquatic life. You can avoid this by washing your car runs along the curb, then into the storm drain wash where the water gets treated and recycled street or driveway. Or better yet, take it to the car and directly into our rivers, bays and bayous All of the soap, scum and oily grit from your That causes pollution that is unhealthy for







Thanks to the Washington Department of Ecology, King County, and the cities of Bellevue, Seattle, and Tacoma.

Help Stop Pointless Pollution

Be a part of the cleanup of the waterways in our area.

Clean water is important to all of us.

In recent years, sources of water pollution like industrial wastes from factories have been greatly reduced. Now, more than 60 percent of water pollution comes from sources like cars leaking oil fertilizers from farms and gardens, and failing septic tanks. Each of us can do our part to help clean up our water.

Why do we need clean water?

Clean water is important to our health and economy. Clean water provides recreation, fish habitat, drinking water, and adds beauty to our landscape. Everyone benefits from clean water.

What's the problem with fertilizer?

Fertilizer is not a problem when it is used correctly. In waterways, as in your yard, too much fertilizer can promote excessive algae and aquatic plants. This can harm water quality and make boating, fishing and swimming unpleasant.

For more information on soil testing, fertilizing alternatives and composting, call your County Cooperative Extension Agent or go to http://www.aces.edu/directory/.

How can you apply fertilizers and help keep our waters clean?

- Use fertilizers sparingly. Follow the manufacturers instructions.
- Have your soil tested for fertilizer needs
- Don't apply fertilizers before a rainstorm.
- Consider using organic fertilizers, since they release nutrients slowly.
- Use commercially available compost or make your own using a garden composter. Mixing compost with your soil means your plants will need less chemical fertilizer. Commercial compost and soil amendments may be available from your solid waste or wastewater utility as well as your local lawn and garden store.

For more information contact:

Alabama Department of Environmental Management
Office of External Affairs
(334) 260-4501

Municipal Storm Water Program (334) 271-7700

Help Stop Pointless Pollution

Be a part of the cleanup of the waterways in our area.

Clean water is important to all of us.

In recent years, sources of water pollution like industrial wastes from factories have been greatly reduced. Now, more than 60 percent of water pollution comes from sources like cars leaking oil, fertilizers from farms and gardens, and failing septic tanks. Each of us can do our part to help clean up our water.

Why do we need clean water?

Clean water is important to our health and economy. Clean water provides recreation, fish habitat, drinking water, and adds beauty to our landscape. Everyone benefits from clean water.

What's the problem with motor oil?

Oil does not dissolve in water. Oil and other petroleum products are toxic to people, wildlife and plants. One pint of oil can make a slick larger than a football field. Oil that leaks from our cars onto roads and driveways is washed into storm drains, or directly into our lakes, streams or marine water. Used motor oil is the largest single source of oil pollutants (over 180 million gallons per year), in our lakes, streams and rivers.

How can you prevent motor oil pollution and help keep our waters clean?

- Never dispose of oil or other engine fluids down the storm drain, on the ground or into a ditch. Recycle used motor oil. Many auto supply stores and gas stations will accept used oil.
- Check for oil leaks regularly and use drip pans beneath your vehicle if you have leaks. Keep your car tuned to reduce oil use
- Use ground cloths while performing engine work. Clean up spills immediately. Collect all used oil in containers with tight fitting lids.

For more information contact:

Alabama Department of Environmental Management
Office of External Affairs
(334) 260-4501

Municipal Storm Water Program (334) 271-7700

Help Stop Pointless Pollution

Be a part of the cleanup of the waterways in our area.

Clean water is important to all of us.

In recent years, sources of water pollution like industrial wastes from factories have been greatly reduced. Now, more than 60 percent of water pollution comes from sources like cars leaking oil, fertilizers from farms and gardens, and failing septic tanks. Each of us can do our part to help clean up our water.

Why do we need clean water?

Clean water is important to our health and economy. Clean water provides recreation, fish habitat, drinking water, and adds beauty to our landscape. Everyone benefits from clean water.

What's the problem with car washing?

Many soaps contain phosphates and most car-care products contain chemicals that may harm fish and degrade water quality. The phosphates from the soap can cause excess algae to grow. Algae sometimes looks or smells bad, and may be harmful to water quality. As algae decays, the process uses up oxygen in the water that fish need to survive.

How can you wash your car and help keep our waters clean?

- Best solution: take your car to a commercial car wash.

 Most car washes reuse water several times before sending it to
 the wastewater facility for treatment.
- Use soap that is chlorine- and phosphate-free.
- Use soap sparingly. Use a hose nozzle with a trigger to save water
- Pour your bucket of soapy water down the sink or toilet when you're done, not in the street.
- Wash your car on a grassy area so the ground can filter the water naturally.

For more information contact:

Alabama Department of Environmental Management Office of External Affairs (334) 260-4501

Municipal Storm Water Program (334) 271-7700




Phase II Storm Water Program

Fall 2021

How To Read A Rain Gauge

A rain gauge is an instrument that is used to measure the amount of rain fall in an area over a period of time. One type of rain gauge that is commonly used by both households and professional weather services is the graduated cylinder gauge, also known as the standard rain gauge. This type of rain gauge has marked lines, usually in inches, that represent the amount of liquid that has accumulated. In order to get more accurate measurements, between each numbered line on the cylinder there are smaller lines that represent tenths of an inch. To measure the inches of rain in a given time period, count the lines above the corresponding inch mark. If checking to see how much rain falls daily, the rain gauge will need to be checked and emptied on a twenty four hour cycle.

Approximately 2.8 inches of rainfall






IDP Ranking Values

Criterion	1	2	3	4	IDP Score
Average age of Development (AOD)	< 10 Years	25-50 years	>50 years	XXX	
# of Potential Generating Sites (PGS)	< 3 sites	3-10 sites	> 10 sites	XXX	
Septic Field Density (SFD)	< 10 Fields/mi^2	20-100 fields/mi^2	> 100 fields/mi^2	XXX	
# of Illicit Dicharge Reports in past 2 years (PID)	< 5 reports	5-25 reports	> 25 reports	XXX	
Outfall Reconnaissance Inventory Results (ORI)	Unlikely	Potential	Suspect	Obvious	
				Total IDP	

Subwatershed	Total Sq. Mi.	Total Sq. Mi. # of PGS within MS4 Area	Sites per sq mi	Appx. Septic	AOD	PGS	SFD	PID	ORI	Total IDP Score
Soap Creek – Chattahoochee River	44.54	4	0.09	210	2	2	1	1	1	7
Holland Creek – Mill Creek	24.57	57	2.32	550	3	3	2	2	2	12
Moon Lake – Chattahoochee River	10.83	4	0.37	230	2	2	2	1	1	8
Cochgalechee Creek	12.77	26	2.04	275	3	3	2	2	1	11
Broken Arrow Creek – Chattahoochee River	31.63	5	0.16	111	2	2	1	1	1	7
Lower Little Uchee Creek	57.43	19	0.33	3179	2	3	2	2	1	10
Cowpen Creek – Uchee Creek	31.64	1	0.03	620	2	ш	2	1	1	7



Site Location

Phenix City, AL

Columbus, GA-AL Phase II MS4 Urbanized Area

INITIALS	DATE	DATE REV	DATE REV.2
Drawn by	02/01/22		
JF	02/01/22		
Approved			
AM			

City of Phenix City

Engineering Department 1206 7th Avenue


Phenix City, AL 36867



Figure Description

Figure 4

Subwatersheds Map



Potential Generating Sites

per EPA ECHO Database


		7)	7))(+)+)
22ND AVE SERVICE STATION	22ND AVE AT ITS' INTERSECTION WITH US HWY 280	PHENIX CITY	AL
7785 LEE RD 240	7785 LEE RD 240	PHENIX CITY	AL
ADVANTAGE MINI STORAGE	7431 LEE ROAD 240	PHENIX CITY	AL
ALABAMA POWER COMPANY - PHENIX CITY GARAGE	9 STAFFORD RD	PHENIX CITY	AL
ALATRADE FOODS LLC	6 DOWNING DR	PHENIX CITY	AL
ARGO CONSTRUCTION	HIGHWAY 280	PHENIX CITY	AL
ARGOS PHENIX CITY PLANT	350 BRICKYARD RD	PHENIX CITY	AL
AUTO TRANS	30 COFFIELD DRIVE	PHENIX CITY	AL
AUTUMN BROOKE SUBDIVISION	NEAR 3787 OPELIKA ROAD	PHENIX CITY	AL
BAMA AUTO SALES	194 WOODLAND DR	PHENIX CITY	AL
BORAL BRICKS	100 BRICKYARD RD	PHENIX CITY	AL
BOSWELL ROAD PIT	284 BOSWELL RD	PHENIX CITY	AL
BRANCH CREEK	33RD AVENUE	PHENIX CITY	AL
CARMACK INC DBA PHENIX FOUNDRY	803 INDUSTRIAL CIRCLE	PHENIX CITY	AL
CENTRAL HIGH SCHOOL	2400 DOBBS DR	PHENIX CITY	AL
CHATTAHOOCHEE VALLEY COMMUNITY COLLEGE	2602 COLLEGE DRIVE	PHENIX CITY	AL
CHS ATHLETIC FACILITY	2400 DOBBS DR	PHENIX CITY	AL
CHS CTE ANNEX	DOBBS DRIVE	PHENIX CITY	AL
CITY OF PHENIX CITY MS4 PH II	601 12TH ST.	PHENIX CITY	AL
COLUMBUS DEV INC - LEXINGTON	MILLPOND DRIVE	PHENIX CITY	AL
CONTINENTAL CARBON PHENIX CITY PLANT	1500 EAST STATE DOCKS ROAD	PHENIX CITY	AL
CRAWFORD PIT	BLEEKER RD	PHENIX CITY	AL
CULVER'S	HWY 280 (431S)	PHENIX CITY	AL
CVS PHARMACY #1824	5405 SUMMERVILLE ROAD	PHENIX CITY	AL
CVS PHARMACY #4934	2514 CRAWFORD RD	PHENIX CITY	AL
DAIRY QUEEN GRILL & CHILL	LOT B - ASHWOOD DRIVE	PHENIX CITY	AL

74, 96 MARATHON MART #102 MAVIS TIRES & BRAKES MCLENDON TRAILERS MEADWESTVACO COATED BOARD, LLC MERIDIAN BRICK LLC MERIDIAN BRICK LLC NAIG2 SITE PREP OCONEE CONCRETE COMPANY, INC.	IVY CREEK SUBDIVISION JOE HUDSON COLLISION CENTER - PHENIX CITY KINNETT ESTATES KMART 4760 LADONIA COMMERCIAL LEATHERWOOD & SONS BODY SHOP LIBERTY HILL MALLARD CREEK SUBDIVISION LOTS 204, 70, 72, 73, MALLARD CREEK SUBDIVISION LOTS 204, 70, 72, 73,	DEL TACO RESTAURANT DEPPE COTTAGES DSC ALABAMA DUDLEY PROPERTY DYKES AND SON GRADING DYKES BODY SHOP DYKES HAUL PIT FAULK & SON, INC. GIBBONS FENDER & BODY WORKS INC GIL'S COLLISION CENTER GILS AUTO SALES GRAND RESERVE - PHENIX CITY HAMMETT STEEL LLC HIGH RIDGE MOBILE HOME PARK IIG MINWOOL II C	DANINY DARRICH DRODERTY
NEAR THE WESTERN END OF TEAL DRIVE 410 MARTIN LUTHER KING BOULEVARD 5370 RIVERCHASE RD 58 CUTRATE ROAD 1817 HWY 165 S 1501 BRICKYARD RD 1415 BRICKYARD RD FONTAINE ROAD 347 WOODLAND DRIVE 210 STATE DOCK ROAD	LANDMARK DRIVE (LEE RD 456) OFF OF HWY 280/431 NOR MARKETPLACE DRIVE US HIGHWAY 80 2003 US HWY 280 BYPASS US HWY 80 NW OF ITS' INTERSECTION WITH WOODLAND DR 1225 10TH AVENUE 1702 20TH AVE	1212 E. 280 BYPASS LEE ROAD 209 DOWNING DRIVE US HWY 280; 32.5145, -85.0633. 2808 OPELIKA RD 1228 11TH AVE 2804 OPELIKA ROAD 3610 HIGHWAY 80 WEST 1208 10TH AVENUE 3946 US HIGHWAY 80 22ND AVENUE AT US HIGHWAY 280/431 BETWEEN HWY 431 & OLD SEALE ROAD 3015 LAKEWOOD DRIVE 200 LOGAN DRIVE	1A53 LEE COLINTY ROAD A25
PHENIX CITY	PHENIX CITY PHENIX CITY PHENIX CITY PHENIX CITY PHENIX CITY PHENIX CITY	PHENIX CITY	DHENIX CITY
2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2	<u> </u>	≥

RUSSELL CO COMMUNITY HOSPITAL DBA JACK HUGHSTON MEMORIAL HOSPITAL S&S CLEANERS INC DBA TRI CITY CLEANERS SA RECYCLING SHADOW WOOD COMMERCIAL SHERMAN INDUSTRIES - PHENIX CITY SHERMAN INDUSTRIES LLC - PHENIX CITY PLANT	ROYAL OAKS II RT TRANSPORTATION	ROBINSON ASPHALT PLANT ROBINSON GRAVEL PIT	RIVERCHASE COMMERCIAL SW	RIDGECREST SCHOOL - MULTIPURPOSE BUILDING RIDGEWOOD COVE SUBDIVISION	READY MIX USA, LLC-PHENIX CITY FACILITY	PUBLIX SUPER MARKET #1086	PROJECT NUMBER: LCP 41-147-17	PRINCE MANUFACTURING COMPANY	PINE HOLLOW LANDFIILL	PHENIX LUMBER CO	PHENIX FOUNDRY	PHENIX CITY WASTEWATER TREATMENT PLANT	PHENIX CITY TRANSFER STATION	PHENIX CITY RETAIL	PHENIX CITY PLANT	PHENIX CITY PIT	PHENIX CITY FREIGHT	PHENIX CITY (SUMMERVILLE RD.) NEW RETAIL STORE	PEP BOYS AUTO SERVICE & TIRES #1572	PARK PLACE SUBDIVISION	OWENS CORNING HT INCORPORATED	ORCHARD HILLS SUBDIVISION) חייי ועא היא היא היא היא היא היא היא היא היא הי
4401 RIVER CHASE DR 700 13TH ST 309 STATE DOCK ROAD HWY 280/431 BETWEEN OPELIKA & PHENIX CITY 25 6TH PL S	LEE ROAD 208 4414 BRIDGEWATER CIRCLE	1250 LONESOME PINE ROAD ABERCROMBIE ROAD	RIVERCHASE DR AT J R ALLEN PJWY	8TH PLACE SOUTH DOBBS DRIVE	2806 DOBBS DRIVE	5408 SUMMERVILLE ROAD SUITE 200	LEE ROAD 197	ALABAMA STATE DOCKS RD	18 OLD BRICKYARD ROAD	4 CUT RATE RD	STATE DOCK ROAD	1600 EAST STATE DOCKS ROAD	610 STATE DOCKS ROAD	3732 U.S. HWY 280	6 DOWNING DRIVE	1371 BRICKYARD ROAD	900 BRICKYARD ROAD	EAST SIDE OF SUMMERVILLE ROAD AT INTERSECTION WITH	5 ASHWOOD DRIVE	701 PARK AVE	908 OWENS CORNING DR.	26TH COURT	3337)??!=
PHENIX CITY PHENIX CITY PHENIX CITY PHENIX CITY PHENIX CITY	PHENIX CITY PHENIX CITY	PHENIX CITY PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	PHENIX CITY	7117 7117 717
22222	2 2	2	AL	<u> </u>	AL	AL	Ą	ΑL	Ą	ΑL	Ą	₽	A	Ą	AL	ΑL	A	ΑL	AL	A	A	<u> </u>	<u>></u>

WATERFORD SUBDIVISION WENDY'S PHENIX CITY WILLOW TRACE WILLOW TRACE SUBDIVISION- LOTS 1, 7, 56-61, 65-68, 72-82, 84-89, 91-100, 103-149 WOMMACK ROAD DIRT PIT ZIPPY MART AL-553	VOGUE INTERNATIONAL, PHENIX CITY DISTRIBUTION CENTER WADE STORE ALL WAL-MART SUPERCENTER #1284 WALMART NEIGHBORHOOD MARKET #5903	TRINITY RIDGE UCHEE MINE UPS GROUND FREIGHT-PHENIX CITY VECTORPLY CORPORATION	SMITH CONTRACT PAINTING SMITHS STATION STORAGE SONIC/CARWASH PHENIX CITY AL SOUTHEAST TRUCK & TRAILER REFURBISHERS INC SUMMER VINEYARD S/D TAYLOR PARTS INC. TAYLOR PARTS OF COLUMBUS INC THE BATTERY MAN THE HOME DEPOT #HD0817 THE VILLAGE AT CROSSWINDS TNT CUSTOM BUILT CABINETS TOMMY'S BODY SHOP TRACTOR SUPPLY COMPANY #1719
701 13TH STREET BETWEEN HOLIDAY INN AND REGIONS BANK WILLOW BRANCH DRIVE WEST OF KNOWLES ROAD; JUST SOUTH OF SUMMERWIND DRI INTERSECTION OF US HWY 80 & WOMMACK ROAD 1412 14TH ST	903 FONTAINE ROAD PIERCE ROAD PHENIX DRIVE 3700 HWY 280/431 NORTH 3864 US HIGHWAY 80 WEST	456 LEE COUNTY 307 HIGHWAY 80 900 SOUTH BRICKYARD ROAD 3503 LAKEWOOD DRIVE	93 LEE ROAD 212 110 LEE ROAD 562 US HIGHWAY 80 800 MEADOWLANE DRIVE WHITEROCK RD AT HWY 80 E 1921 CRAWFORD RD 1012 THIRTEENTH STREET 39 SPRING VALLY ROAD 3784 HWY 280 -431 NORTH US HWY 431 330 LEE ROAD 456 1015 12TH PLACE 2012 HWY 280-431 N
PHENIX CITY PHENIX CITY PHENIX CITY PHENIX CITY PHENIX CITY	PHENIX CITY PHENIX CITY PHENIX CITY	PHENIX CITY PHENIX CITY PHENIX CITY PHENIX CITY	PHENIX CITY
A	2 A A A	AL AL AL	2 2 2 2 2 2 2 2 2 2 2 2 2 2

Sanitary Sewer Map



Action Center (Example)

John B. Greene

From:

Do Not Reply

Sent:

Wednesday, May 19, 2021 5:34 PM

To:

Angel Moore; Kathy Jo Davis; Benjamin Chastain; John B. Greene

Subject:

Action Center Request "Erosion Control"

Attachments:

Yard-erosion.jpg

From:

Subject: Action Center Request

Message Body:

Nature of Problem: Erosion Control

Description of Problem: There is excessive water runoff that comes from cul-de-sac area that is causing erosion

in several areas of property.

Location:

Subdivision

Phenix City, AL 36870

Contact Information

Name:

Email:

Phone Number:

This email was sent from the Action Center on Phenix City, Alabama's official website (https://phenixcityal.us)

John B. Greene

From:

Do Not Reply

Sent:

Saturday, June 26, 2021 9:09 PM

To:

Angel Moore; Kathy Jo Davis; Benjamin Chastain; John B. Greene

Subject:

Action Center Request "Erosion Control"

From:

Subject: Action Center Request

Message Body:

Nature of Problem: Erosion Control

Description of Problem: I live at

PC 36869.

The gravel a dirt cul de sac that is at the end of the street has eroded and a large portion of the gravel and dirt has washed down into the street over the years. The cul de sac is at the higher elevation and will continue to wash away until proper erosion control measures are put into place and the end of the street is paved.

Location: Avenue, end of street, unfinished cul de sac

Contact Information

Name:

Email:

Phone Number:

This email was sent from the Action Center on Phenix City, Alabama's official website (https://phenixcityal.us)

John B. Greene

From:

John B. Greene

Sent:

Friday, April 16, 2021 10:41 AM

To:

Derek Wilson

Subject:

FW: Action Center Request "Stormwater or Illicit Discharge Ordinance Violation"

From: Do Not Reply <donotreply@phenixcityal.us>

Sent: Friday, April 16, 2021 9:21 AM

To: Angel Moore <AMoore@phenixcityal.us>; Kathy Jo Davis <kdavis@phenixcityal.us>; Benjamin Chastain

<BChastain@phenixcityal.us>; John B. Greene <jgreene@phenixcityal.us>

Subject: Action Center Request "Stormwater or Illicit Discharge Ordinance Violation"

From:

Subject: Action Center Request

Message Body:

Nature of Problem: Stormwater or Illicit Discharge Ordinance Violation

Description of Problem: Gen. Colin Powell pkwy is littered with bagged garbage which obviously has fallen off a garbage truck. we try to pick up the garbage that throw out but this is too much. The trash truck people are notorious for garbage falling out of the back of the truck in my neighborhood while on the hill but i have never seen it like this on the pkwy.

Location: Gen. Colin Powell pkwy between dillingham and the 280 bypass

Contact Information

Name: Email: Phone Number:

This email was sent from the Action Center on Phenix City, Alabama's official website (https://phenixcityal.us)

Land Disturbance Permits (Example)

PHENIX CITY, ALABAMA

LAND DISTURBING PERMIT

ENGINEERIN	G DEPARTMENT		PHONE 334-448-2760
	PERMIT NO	20-05	
Owner:	Dolla	r Tree	
Contractor:	Termac Con	nstruction, I	nc.
Address:	Comproi	nise Court_	
	PERMIT ISS	UANCE FO	OR:
	Dollar Tre	e US 80 Lad	onia
	POST TH	IIS CARD	
N	OTIFY ENGINEERING	DEPARTME	NT 48 HOURS
	PRIOR TO COM	IMENCING V	VORK
APPROVED PL	ANS MUST BE RETAIN	ED ON THE J	OB SITE AND THIS CARD

THIS APPROVAL IN NO WAY RELIEVES THE PROPERTY OWNER, CONTRACTOR, ENGINEER OR OTHER AGENT OF HIS DAMAGE TO ADJACENT PROPERTIES AND LIABILITY RESULTING THERE FROM AND SHALL NOT CONSTITUTE AN ASSUMPTION OF LIABILITY BY THE CITY OF PHENIX CITY FOR DAMAGES CAUSED BY CONSTRUCTION AND/OR

KEPT POSTED UNTIL FINAL INSPECTION HAS BEEN MADE.

DO NOT REMOVE OR DEFACE THIS CARD UNTIL CONSTRUCTION IS COMPLETE

GRADING PERFORMED UNDER SAID PLANS AND PERMITS.

Construction Site Inspection (Example, Resolved Following Verbal Notice)



City of Phenix City Engineering Department

INSPECTION REPORT

DATE 11/3/2021 TIME 9:4	PROJECT/SUBDIVISION Ivy Creek
WEATHER Sunny	CITY PERSONNEL Bo
	DAILY REPORT OF ACTIVITIES
·	
Contractor is grading and bringin	g materials, mainly storm pipe, on to the site for the development of the next phase
in ivy creek subdivision. Currer	tly erosion control measures are in place and are in good standing.
Houses are being built in existing	phases and erosion control measures are in place at these locations.
INSPECTION BY:	thn BCreene

Post Construction Inspection (Examples)



City of Phenix City Engineering Department

DETENTION POND INSPECTION FORM

SITE: Alatrade	DATE: 8/4/2021	TIME_1:48PM
MAINTAINED BY: AlaTrade Foods LLC		
PHOTOGRAHS TAKEN: Y ✓ N 🗌	NUMBER OF P	ONDS ONSITE: 2
ITEMS INSPECTED		
VEGETATIVE COVER: Grass, weeds. Are at a heigh	t greater than 6inches	
SEDIMENT: No visible sediment or other erosion		
DEBRIS: No visible debris		
FENCING: No fencing around pond. The pond behind Alatra	nde is in a fenced area	
INLETS: Inlets are free of obstruction		
EMERGENCY SPILLWAY: All slopes are in good st	tanding	
COMMENTS/CORRECTIVE ACTION NEE	DED: Vegetation needs to be	cut/ mowed
INSPECTION BY: Bo Greene		



EUGINEERING / PUE

601 12th Street | Phenix City, AL 36867

Ph: 334-448-2760 | Fx: 334-291-4848

phenixcitual.us

DR. R. GRIFF GORDY Mayor Pro Tem / At Large

STEVE BAILEY Councilmember District 1 **EDDIE N. LOWE** Mayor

VICKEY CARTER JOHNSON Councilmember District 2

ARTHUR L. DAY, JR. Councilmember District 3

WALLACE B. HUNTER, City Manager MELONY LEE, City Clerk ANGEL MOORE, P.E., City Engineer Director of Engineering / Director of Public Works

VIA CERTIFIED MAIL

August 10, 2021

C/O Plant Manager AlaTrade Foods LLC 6 Downing Drive Phenix City, AL 36869

Re: AlaTrade Detention Ponds

Dear Sir or Madam:

A representative of the City of Phenix City Engineering Department conducted a routine detention pond inspection for the above referenced site.

The following issues need to be addressed:

North Pond:

1) All tree saplings, brush, and debris must be removed from the basin.

South Pond:

1) All tree saplings, brush, and debris must be removed from the basin.

2) All grass and vegetation must be kept at a minimum height of no more than 6 inches.

These detention ponds fall under the Erosion and Sediment Control Policy of the City of Phenix City. amended by Ordinance No. 2007-07. A copy of this policy is available on the City's website: www.phenixcityal.us. The above deficiencies must be corrected within 15 days of receipt of this notification letter. Failure to comply could result in the City of Phenix City issuing a citation. If you have any questions, you may contact the Engineering Department at 334-448-2760.

Sincerely,

Angel Moore, P.E. City Engineer

Cc: File





Example of a Properly Maintained Detention Pond



Municipal Facility BMP Inspection Checklist (Example)

MUNICIPAL FACILITY BMP INSPECTION CHECKLIST

Facility Name:	Fire Station 4			-	Location:	1300 Airport Road
Department:	Fire		ָדֶדָּי ביי	acility C	Facility Contact:	Tommy Cox
Inspection Date:	10/19/2021	Time:		Ins	spector:	Inspector: Tommy Cox
		Υ	Yes	No	N/A	Comments
Overall Facility						
Work areas clear of trash, chemicals	rash, chemicals					
Traffic routes clear of trash, chemicals	trash, chemicals	- -				
Fencing, gating, or lighting is functional	hting is functional	<u> </u>				
Spill control supplies fully stocked	fully stocked					
Signs of erosion in vegetated areas	getated areas			'		
Interior Chemical Storage	Storage					
Materials stored in designated locations	signated locations					
SDS sheets available					\	
Containers labeled						
Containers stored aw	Containers stored away from driving lanes, aisles, or doorways	doorways				
Accumulated liquids in spill pallets	n spill pallets				•	
Waste Storage Area	<i>a</i>					
Waste containers labeled	eled					
Containers stored aw	Containers stored away from driving lanes, aisles, or doorways	doorways				
Waste containers clo	Waste containers closed when material is not being added	added				
Waste containers over 3/4 full	er 3/4 full			\		
Accumulated liquids in spill pallets	n spill pallets				۲	
Spill control supplies fully stocked	fully stocked					
Driving and Parking Areas	ıg Areas					
Stains or puddles of chemicals present	themicals present					winor oil staining in parking lot
Vehicle Wash Areas	as					
Foam or sheen present	nt			S		
Staining present at the facility outfall(s)	e facility outfall(s)	_		۲		
Other						

<u>List of Municipal Facilities</u>

Cemetery – 1206 7th Avenue

Fire Station No. 1 – 1910 Crawford Road*

Fire Station No. 3 – 510 South Seale Road*

Fire Station No. 4 – 1300 Airport Road*

Lakewood Golf Course – 2800 Lakewood Drive*

Parks and Recreation Maintenance Shop – 1150 Airport Road

Public Safety Building – 1111 Broad Street

Public Works – 1111 Broad Street, Building B*

Utility Department – 1118 Broad Street

Water Filtration Plant – 1100 32nd Street

Waste Water Treatment Plant – 1600 East State Docks Road

^{*-} Denotes that facility has an oil/water separator that drains to sanitary sewer.

Vehicle Maintenance and Inspection (Example)

Markey

VEHICLE MAINTENANCE INSPECTION & CHECKLIST

	VEHICLE/EQUIPMENT #: 100	
/	Employee Com mill	
	Supervisor James Arno	

	FUEL GAL./MILEAGE	BRAKES/LIGHTS	OIL/GREASE	ATTACHMENTS or	TRACK/TIRES of	HOSES/BOLTS	HORN/ALARM	HOURS/MILEAGE	DATE/TIME LY.7	OPERATOR LEGG P.114	MONDAY
11 PM		OX	dr	A	B	A		139891		mir lage me	IDAY TUESDAY
1000		dh	dh	oh	011	Oh	Ch	135363	1-6-21	Coope hill	WEDNESDAY
. M 4%		oh	dr.	<i>d</i>	dh	MO	40	135475) (て ~ (Coesenius	THURSDAY
MY O CAN		6 h	641	ph .	oh	04	No	139664	1-801	/seograpila	FRIDAY

Phenix City Engineering and Public Works

Fleet Maintenance Preliminary Worksheet


WO# ³ 37994	Date 03/19/21	Equip ENG-2	ment Code 9	Equipment Name 2008 FORD F-150 EX 1FTRX14W58FC3307		Departr 6 - Eng	nent jineering	Odometer 44,890 M	
Service /	Repair Note	es				SERVICE			
1	Due for S	Service							300
3	WC-								
4		VICE AG	AIN AT 47890						
Quantity	Part Num	ber	Description				Unit Cost	Total Cost	
-									
			***************************************						•
Mechanic	's Commen	1s:		Mechanic's Hours:		_			
	· · · · · · · · · · · · · · · · · · ·								
Mechanic				Checked By:	P**/	_	Date Complet	ed:	
Р	M Item Cod	de / Nan	ne		Every		Last Service Da	ite WO#	Odometer
							.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Part No	umber	Des	scription		O.	uantity	7		

7.00

April 14, 2021

15W40 (QT)

15w40





Employee Training at the Idle Hour Community Center









MS4 TRAINING

Streets & Drainage /Asphalt

_	1	-	
 -	т	o	•

2021-2022

Batson, Clinton

Booker, Antwan

Harris, Kelvin

Horton, Chris

Jackson, Timothy

Jones, Jim

Leonard, Ricky

Wilson, Mathew

Williams, Vashone

Chastain, Paul

Jay willoughty

Chriton Batse

Onlen Best

1 his Harton

Limothy Jackeron.

Ricky Dean Leon

Verly willes

Jag hille

	Name	Department
12:30	Plake Dexter	Utilities - WFP
	Terry Holland	Utilities - www
1:30	Eric cucberson	Uticities wc
	Danie Slougher	PCFR
	Josh Carter	PCFR
	Dustin Kilsatrick	PCFR
	Matt Johnston	PCFR
	Jason Filling in	PCFR
	J.	
2:30pm	Charles Wash	PCU
	Denonis Williams	PCU
	Jeff McManios	,
	Robert Bottoms	
	Ronnie Norns	
	Quinterius Davis	
	Willian Ender	
	John F. Sprague Jr.	
	John F. Sprague. Jr. John Spraggins	
	1 30	

	NAME	DEPARTMENT
9:00		
	Adam Tiller	EnglPW
	Juny Got	EnglPW Enc.
	Chris Ellis	Golf Course
	Chris Johnson	74R
	Marcus	ut
10.00	Water plant / whiletes	Benseume
	William Threatts	Water Plant/utilites
	Jared Hall	Utilities
יס בי סי	Jamps Sp	Utilities
	Jun Bar	UKINES - WWTP
	fromy los	Phense lity Fire
11.00	Carata Downs	P.C. Fire & Rescure
	Joshua Simoth	PCFR
	SOU SINCIETARY	TAR
	BRENT PAUL	PCFR
	Brandon Sm4L	PCFR
	William Wiles	07
	Marky Bragg	PC Fire
	Boby BROOKS	PC Fire
	Lody Guy	Utilities WWTP
	Murpho	PCFIRE
	John D. Jackso	PCWUTP
	Chris Casey	EGR
	John (Bo) (reene	EGR
	8 B B	

Qualified Credentialed Inspectors (QCIs) Certifications



QCI Training Program



Certificate of Completion

is hereby granted to:

John B. Greene

City of Phenix City

for satisfactory completion of

Online Refresher

Training

QCI No. T5719 Expires 7/19/2022 This certificate confers four (4.0) professional development hour (PDH) equivalents to students who require credits for licenses or certifications. Such PDHs are subject to the qualifying requirements of the licensing or certifying organization.



ALABAMA TRANSPORTATION ASSISTANCE PROGRAM

Certificate of Participation

Bo Greene

An Introduction to Construction Stormwater Management in Alabama

August 3, 2021

0.400 Continuing Education Credits

4.00 Course Hours

Dean, Samuel Ginn College of Engineering Chris Roberts

Rod E Turochy Director, Alabama Transportation Assistance Program



ALABAMA TRANSPORTATION ASSISTANCE PROGRAM

Certificate of Participation

Andrew Patterson

An Introduction to Construction Stormwater Management in Alabama

August 3, 2021

0.400 Continuing Education Credits

4.00 Course Hours

Dean, Samuel Ginn College of Engineering **Chris Roberts**

Rod E Turochy Director, Alabama Transportation Assistance Program



ALABAMA TRANSPORTATION ASSISTANCE PROGRAM

Certificate of Participation

Christopher J Casey

An Introduction to Construction Stormwater Management in Alabama

August 3, 2021

0.400 Continuing Education Credits

4.00 Course Hours

Roll Gurard

Dean, Samuel Ginn College of Engineering

Chris Roberts

Rod E Turochy Director, Alabama Transportation Assistance Program



QCI Training Program



Certificate of Completion

is hereby granted to:

Jimmy Cook

City of Phenix City

for satisfactory completion of

Online Refresher

Training

QCI No. T6191 Expires 7/25/2022 This certificate confers four (4.0) professional development hour (PDH) equivalents to students who require credits for licenses or certifications. Such PDHs are subject to the qualifying requirements of the licensing or certifying organization.



QCI Training Program



ENGINEERING

is hereby granted to:

Jonathan Foster

City of Phenix City Engineering

for satisfactory completion of Online Initial

Training

Expires 12/15/2022 QCI No. T7190

This certificate confers six (6.0) professional development hours (PDHs) to students who require credits for licenses or certifications Such PDHs are subject to the qualifying requirements of the licensing or certifying organization.



Group Name:	renix City Engineer	try Del	Dwthnewt online
Collector(s):	stor B. Greene	Addr	ess: 1206 7th Ave
city: Phenix Cit	3 State: AL	Zip:_ _3	6867 Phone No: 334 948 2768
Sample Date: 3/29/	27 Sample Time:	020	AWW Site Code: 0301501/
Watershed: Chattal	sochee Waterbody: Hollan	1 Creek	County & State: Russell, AL
Sampling site location:	Mon. Perfut 1 (Notify the AWW office about any change)	Downstr ges in sampling sit	remost bridge of Lakewood of
Waterbody condition:	Adequate Depth Inadequat	e Depth	Dry No Access
Tidally influenced rivers:	Rising Tide Falling Tide		Uncertain No Applicable
Variable	Value		Comments
Air Temperature		Measure a	ir temperature before water temperature.
Water Temperature	<u>6,5</u> °c	A	void touching thermometer bulb.
рН			Record to nearest 0.5 unit.
Dissolved Oxygen (DO)	Rep 1: <u>8.2 ppm</u> Rep 2: <u>8.4 ppm</u>	Make	sure two readings are within 0.6 ppm.
Specific Gravity / Salinity	S. G ppt	If salin	ity is present do not test for hardness.
% Oxygen Saturation	Avg DO % DO Sat	Estimate	e from chart found in the AWW manual.
Total Alkalinity	$\frac{4}{m}$ # drops x 5 = $\frac{20}{m}$ mg/L	Ado	d drops until no more color change.
Total Hardness	# drops x 10 = 40 mg/L		mber of drops that produced final change.
Turbidity	# 0.5 mL x 5 (50mL) = JTU # 0.5 mL x 10 (25mL) JTU	Enter zero	line only if sample volume used was 25 mL. (0) mL and 2 JTU if one addition of reagent passed the turbidity of the sample.
Secchi Depth	meters		d depth if disk hits bottom while visible.
	of rainfall, runoff within previous 24 hour	rs, unusual	AWW Office Use
Other Chemistry Tests			YSI Meter data, Nitrates, Phosphate, etc.
I hereby declare that at t confirmed the freshness or using AWW techniques.	he time of this water sampling my AWN feach reagent used for these tests. All d Check for electronic signature	ata entered al	mistry Certification was current and that I bove the Comments section were obtained Monitor signature
Alabama Water Watch	Alabama Water Water Water Water Water Water Water Water Standard S		Toll Free: 1-888-844-4785 Email: awwprog@auburn.edu Website: www.alabamawaterwatch.org

Group Name: Phen	ix Cify Engineding	NITORING	HATA FOR	M
Collector(s): J.F.	ster, B. Greeke	Addre	1206	7th Ave online
city: Phenix C	of State: A	zip: 36		v° 374478 276
Sample Date: 3/29/	Sample Time:_	14 55		03020004
Watershed: Chatfa	hoochee Waterbody: Hollan	d-Mill C	reek County &	State: Russel/AL
Sampling site location:	Monitoring Point 2 B (Notify the AWW office about any chan	ehond F	ublic Work	5 Kard
Waterbody condition:	Adequate Depth Inadequat		Dry	No Access
Tidally influenced rivers:	Rising Tide Falling Tid		Uncertain	No Applicable
Variable	Value		Commen	
Air Temperature	_17 °c	Measure air	temperature befo	re water temperature.
Water Temperature	_10_°c	Av	oid touching therm	ometer bulb.
рН	7.5 Standard international units		Record to nearest	0.5 unit.
Dissolved Oxygen (DO)	Rep 1: 7.2 _{ppm} Rep 2: 7.6 _{ppm}	Make s	ure two readings ar	e within 0.6 ppm.
Specific Gravity / Salinity	S. G ppt	If salinit	y is present do not	test for hardness.
% Oxygen Saturation	Avg DO % DO sat	Estimate	from chart found ir	the AWW manual.
Total Alkalinity	5 # drops x 5 = 25 mg/L	Add	drons until no more	a a la vala vala vala vala vala vala va
Total Hardness	# drops x 10 = 40 mg/L	Record num	drops until no more ber of drops that p	roduced final change.
Turbidity	# 0.5 mL x 5 (50mL) =	Use bottom li	ne only if sample vo	olume used was 25 mL.
•	# 0.5 mL x 10 (25mL) JTU	surpa	assed the turbidity	ne addition of reagent of the sample.
Secchi Depth	meters	Do not record		ottom while visible.
Comments: Note evidence smell, unusual color, cows	of rainfall, runoff within previous 24 hour or other animals in creek, etc.	rs, unusual	AWW	Office Use
	or owner drimmars in creek, etc.			
Other Chemistry Tests			YSI Meter data, Nit	rates, Phosphate, etc.
I hereby declare that at ti	he time of this water sampling my AWV	V Water Chemi	istry Cortification	
confirmed the freshness of using AWW techniques.	each reagent used for these tests. All da	ata entered abo	ove the Comments	section were obtained
asing Avv vv techniques.	Check for electronic signature.	Lmi	thin Ita	
	and the controlled signature.		Monitor sign	nature
Alabama Water	Alabama Water Wat	ch		1-888-844-4785
Watch	559 Devall Dr.	40 5124	Email: aww	prog@auburn.edu
	Auburn University, AL 3684	49-5124	website: www.a	abamawaterwatch.org

Group Name: Phens	* City Chalmering De	nitorin buttnen	G DATA FO	ORM online
Collector(s): J. Ford	er B. Greene		ress: 1206	7thNie
city: Phehix Cit	State: AL	Zip:	36867 Pho	one N°: 334 478 276
Sample Date:	3-29-22 Sample Time:	9:25 AM		ode: 03020001
Watershed: Charta	house Waterbody: Mill	(reek	Count	y & State: Russell A
Sampling site location:	Mon. Point 3 Where M (Notify the AWW office about any chan	It Creek	Chters N	154
Waterbody condition:	Adequate Depth Inadequat		Dry	No Access
Tidally influenced rivers:	Rising Tide Falling Tide	F	Uncertain	No Applicable
Variable	Value		Comn	
Air Temperature	4.5°c	Measure	air temperature b	efore water temperature.
Water Temperature	<u>3.5</u> °c	Į.	Avoid touching the	ermometer bulb.
рН	7. O Standard international units		Record to nea	rest 0.5 unit.
Dissolved Oxygen (DO)	Rep 1: <u>76</u> ppm Rep 2: <u>78</u> ppm	Make	sure two reading	s are within 0.6 ppm.
Specific Gravity / Salinity	S. G. Salinity: ppt	If salir	nity is present do	not test for hardness.
% Oxygen Saturation	Avg DO % DO sat	Estimat	e from chart foun	d in the AWW manual.
Total Alkalinity	5 # drops x 5 = 25 mg/L	Δd	d drons until no m	nore color change.
Total Hardness	6 # drops x 10 = 60 mg/L	Record nu	mber of drops th	at produced final change.
Turbidity	# 0.5 mL x 5 (50mL) = JTU	Use bottom	line only if samp	le volume used was 25 mL. if one addition of reagent
	# 0.5 mL x 10 (25mL) JTU			lity of the sample.
Secchi Depth	meters	Do not recor	d depth if disk hit	ts bottom while visible.
Comments: Note evidence smell, unusual color, cows	of rainfall, runoff within previous 24 hour or other animals in creek, etc.	rs, unusual	AW	/W Office Use
	and diminals in creek, etc.			
Other Chemistry Tests			YSI Meter data,	Nitrates, Phosphate, etc.
I hereby declare that at th	ne time of this water sampling my AWW	V Water Che	mistry Cortification	
confirmed the freshness of using AWW techniques.	each reagent used for these tests. All da	ata entered a	bove the Comme	nts section were obtained
and the confined early	Check for electronic signature.	٨	the Inte	
A 1 1			Monitor	signature
Alabama	Alabama Water Water	ch	Toll F	ree: 1-888-844-4785
Water	559 Devall Dr.		Email: a	wwprog@auburn.edu
Watch	Auburn University, AL 3684	19-5124		w.alabamawaterwatch.org

Group Name: Phen	ix City Engineering)	NITOKING e Darfh	G DATA FORM Online
Collector(s): J. Fos	ter, B. Greene	Addr	
city: Phenix CS+	State: AL	zip: 36	
Sample Date: 3/29/2	(2)	420	AWW Site Code: 03020005
Watershed: Na Ho	hochee Waterbody: Mill	Creek	County & State: Russell, AL
Sampling site location:	Mon. Polyt 4 New Confl. (Notify the AWW office about any chan,	whee of	- Mill Creek & Holland (rea
Waterbody condition:	Adequate Depth Inadequat		Dry No Access
Tidally influenced rivers:	Rising Tide Falling Tide	e [Uncertain No Applicable
Variable	Value		Comments
Air Temperature	_16 °c	Measure a	ir temperature before water temperature.
Water Temperature	°c	A	void touching thermometer bulb.
рН	7. Standard international units		Record to nearest 0.5 unit.
Dissolved Oxygen (DO)	Rep 1: 82 ppm Rep 2: 80 ppm	Make:	sure two readings are within 0.6 ppm.
Specific Gravity / Salinity	S. G ppt	If salin	ity is present do not test for hardness.
% Oxygen Saturation	Avg DO % DO Sat	Estimate	e from chart found in the AWW manual.
Total Alkalinity	$_{0}$ # drops x 5 = $_{30}$ mg/L	Add	drops until no more color change.
Total Hardness	# drops x 10 = 60 mg/L	Record nur	mber of drops that produced final change.
Turbidity	# 0.5 mL x 5 (50mL) = JTU		line only if sample volume used was 25 mL.
. a. a. a.	# 0.5 mL x 10 (25mL) JTU		(0) mL and 2 JTU if one addition of reagent passed the turbidity of the sample.
Secchi Depth	meters		d depth if disk hits bottom while visible.
Comments: Note evidence	of rainfall, runoff within previous 24 hour	s, unusual	AWW Office Use
sirieri, uriusual color, cows	or other animals in creek, etc.		AWW Office OSE
Other Chamista T		- 1 1 1	
Other Chemistry Tests			YSI Meter data, Nitrates, Phosphate, etc.
I hereby declare that at the confirmed the freshness of	he time of this water sampling my AWV	V Water Chen	nistry Certification was current and that I
using AWW techniques.		() 1	pove the Comments section were obtained
	Check for electronic signature.	mut	No Jan
Alabara			Monitor signature
Alabama	Alabama Water Wat	ch	Toll Free: 1-888-844-4785
Water	559 Devall Dr.		Email: awwprog@auburn.edu
Watch	Auburn University, AL 3684	49-5124	Website: www.alabamawaterwatch.org
)(013		1



Alabama Office
334/745-0055 or 800/662-1584
Fax: 334/745-3095
TBrantly@AuburnEnvironmental.com
6485 LEE ROAD 54 AUBURN, AL 36830

Colorado Office 1-800-408-0083 MWallace@AuburnEnvironmental.com PO BOX 271716 FT. COLLINS, CO 80527

REPORT OF ANALYSIS

PHENIX CITY ENGINEERING DEPT. 1204- 7TH AVENUE PHENIX CITY, AL 36868

SAMPLE DATE/TIME: 29 MAR 22/1020 SAMPLE # 150891/150892/150893/150894 SAMPLE TYPE: CREEK SAMPLE LOCATION: 1 – HOLLAND CREEK

		ECCITION: 1 HOLLAND CREEK				
PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME	
CBOD	1.0 mg/l	SM5210B	AB	03-30-22	1711	
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	TAL	03-30-22	1450	
TKN	<1.00 mg/l	A4500-NH3-D	HDJ	04-10-22	1210	
NITRATE+NITRITE	<0.500 mg/l	300.0	TAL	04-06-22	1903	
TOTAL PHOSPHORUS	0.0261 mg/l	SM4500-P-E	MS	04-07-22	1639	

SAMPLE DATE/TIME: 29 MAR 22/1109

CDOD

SAMPLE TYPE: CREEK SAMPLE

SAMPLE # 150895/150896	5/150897/150898
PARAMETER	ANALYSIS

 LOCATION: 2 - HOLLAND "MILL" CREEK

 METHOD
 ANALYST
 DATE
 TIME

 SM5210B
 AB
 03-30-22
 1711

 E300.0
 TAL
 03-30-22
 1616

CROD	<1.0 mg/l	SM5210B	AB	03-30-22	1711
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	TAL	03-30-22	1616
TKN	<1.00 mg/l	A4500-NH3-D	HDJ	04-10-22	1210
NITRATE+NITRITE	<0.500 mg/l	300.0	TAL	04-06-22	1931
TOTAL PHOSPHORUS	0.0981 mg/l	SM4500-P-E	MS	04-07-22	1639
SAMPLE DATE/TIME: 29 M	IAR 22/0925	SAMDI	E TVDE: CI	DEEK CAMPLE	

SAMPLE DATE/TIME: 29 MAR 22/0925 SAMPLE # 150899/150900/150901/150902 SAMPLE TYPE: CREEK SAMPLE LOCATION: 3 – MILL CREEK

PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME	
CBOD	<1.0 mg/l	SM5210B	AB	03-30-22	1711	
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	TAL	03-30-22	1644	
TKN	<1.00 mg/l	A4500-NH3-D	HDJ	04-10-22	1210	
NITRATE+NITRITE	<0.500 mg/l	300.0	TAL	04-06-22	2056	
TOTAL PHOSPHORUS	<0.0200 mg/l	SM4500-P-E	MS	04-07-22	1639	

SAMPLE DATE/TIME: 29 MAR 22/0948 SAMPLE # 150903/150904/150905/150906 SAMPLE TYPE: CREEK SAMPLE

LOCATION: 4 - MILL CREEK

PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME
CBOD	<1.0 mg/l	SM5210B	AB	03-30-22	1711
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	TAL	03-30-22	1713
TKN	<1.00 mg/l	A4500-NH3-D	HDJ	04-10-22	1210
NITRATE+NITRITE	<0.500 mg/l	300.0	TAL	04-06-22	2125
TOTAL PHOSPHORUS	0.0333 mg/l	SM4500-P-E	MS	04-07-22	1639

SAMPLES ANALYZED ACCORDING TO:

STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, 20TH EDITION, 1998 EPA METHODS FOR CHEMICAL ANALYSIS OF WATER AND WASTES, 600/4-79-020 MARCH 1983. RESULTS CALCULATED ON A WEIGHT BASIS

REPORT APPROVED BY:

THOMAS BRANTLY, JR LABORATORY MANAGER

REVIEWED BY B



STUDY: NPDES

TRANSFER TO: AUBURN ENVIRONMENTAL PROJECT: SAMPLE I.

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055 CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 1 - HOLLAND CREEK

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
150891	CBOD: PRESERVED 4°C	3-29-22	(0.20 Am	
150892	ORTHOPHOSPHATE: PRESERVED 4°C	3-27-72	mp 05:01	
150893	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	3-29-22	10:20Am	
150894	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	3-29-22	10: 20 PM EST	

SAMPLE CHAIN OF CUSTODY:		COUR YES	JER NO
TRANSFERRED BY: X Bo Galle	DATE/TIME: 3-24-22 11:42		
RECEIVED BY: X R	DATE/TIME: 29/Mar22		X
TRANSFERRED BY: X	DATE/TIME:		
RECEIVED BY: X	DATE/TIME: 29 May 2	-	X
PLEASE DO NOT WRITE BELOW	THIS LINE 2,40 1700		
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB:			
SAMPLES STORED IN REFRIGERATOR ID#: 573 THERMOMETER ID	#: 3 25		
SHIPPED BY: ACKING #: V			
pH Calibration :pH 4pH 7pH 10			



STUDY: NPDES

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055 CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 2 - HOLLAND "MILL" CREEK

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
150895	CBOD: PRESERVED 4°C	3-29-22	11:09 Am	Bo Guerre
150896	ORTHOPHOSPHATE: PRESERVED 4°C	3-29-22	1009 Am	Bo Greens
150897	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	3-24-22	11:09 AM	Bo Greene
50898	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	3-29-22	11:69AM	Ro Green

SAMPLE CHAIN OF CUSTODY:		COURIER YES NO
TRANSFERRED BY: X 60 G-CW	DATE/TIME: 3-24-22 11:4	12
RECEIVED BY: X Chs Re-	DATE/TIME: 20 Mar22	X
TRANSFERRED BY: X	DATE/TIME: #: 10PKA	
RECEIVED BY: X (LABORATORY)	DATE/TIME: 29 Mar 26	2 ×
PLEASE DO NOT WRITE BI	ELOW THIS LINE 2:50 PM	
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB:		
SAMPLES STORED IN REFRIGERATOR ID#: 5 23 THERMOM	ETER ID#: 372	
SHIPPED BY: AECT TRACKING #: N/X		
pH Calibration :pH 4pH 7pH 10		



STUDY: NPDES

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055 CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 3 - MILL CREEK

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
150899	CBOD: PRESERVED 4°C	3-29-22	9:25 Am	Bo/Jonaman
150900	ORTHOPHOSPHATE: PRESERVED 4°C	3-29-22	9:25 AM	Ro/Jonaman
150901	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	3-29-22	9:25 Am	Bo/Jonashan
150902	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	3-29-22	1:25 Am	Bol Jonaman

SAMPLE CHAIN OF CUSTODY:	COUL	RIER NO
TRANSFERRED BY: X Bo Geer DATE/TIME: 3-29-72 11:4		
RECEIVED BY: X C/S M DATE/TIME: 29 HAGE22		X
TRANSFERRED BY: X		
RECEIVED BY: X Charles DATE/TIME: 24/Marles (LABORATORY) PLEASE DO NOT WRITE BELOW THIS LINE		$ \mathcal{X} $
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB:		
pH Calibration :pH 4pH 7pH 10		

COLIRIER



ACT PROJECT NO.: 404-1000

STUDY: NPDES

CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION – 4 – MILL CREEK

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
150903	CBOD: PRESERVED 4°C	3-29-22	10:40 Am	Bo/Jonania
150904	ORTHOPHOSPHATE: PRESERVED 4°C	3-24-22	10'.40 AM	Bo/ Jonathan
150905	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	3-29-22	10;40 Am	BO / Junuaran
150906	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	3-29-22	10:40 mm	Bo) Junuania

SAMPLE CHAIN OF CUSTODY:	11:42	YES	NO
TRANSFERRED BY: X DO GREV DATE/TIME:	3-24-22		
RECEIVED BY: X Ch Re DATE/TIME:	29 Mariz		×
TRANSFERRED BY: X DATE/TIME:	1:10pm		
RECEIVED BY: X Ch DATE/TIME:	29Mars22		X
PLEASE DO NOT WRITE BELOW THIS LINE	3:10px	C	
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB: 44°C SAMPLES STORED IN REFRIGERATOR ID#: 573 THERMOMETER ID#: 372			
SHIPPED BY: ACKING #:			
pH Calibration :pH 4pH 7pH 10			



Alabama Office 334/745-0055 or 800/662-1584 Fax: 334/745-3095 TBrantly@AuburnEnvironmental.com 6485 LEE ROAD 54 AUBURN, AL 36830

Colorado Office 1-800-408-0083 MWallace@AuburnEnvironmental.com PO BOX 271716 FT. COLLINS, CO 80527

REPORT OF ANALYSIS

PHENIX CITY ENGINEERING DEPT. 1210- 7TH AVENUE PHENIX CITY, AL 36868

SAMPLE DATE/TIME: 28 SEP 21/0935 SAMPLE # 148517/148518/148519/148520

SAMPLE TYPE: CREEK SAMPLE LOCATION: 1 - HOLLAND CREEK

DADAMETER		EGENTION. 1 - HOLLAND CREEK			
PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME
CBOD	1.1 mg/l	SM5210B	AB	09-29-21	1940
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	HDJ	09-29-21	2053
TKN	<1.00 mg/l	A4500-NH3-D	TRS	10-05-21	1322
NITRATE+NITRITE	<0.500 mg/l	300.0	HDJ		
TOTAL PHOSPHORUS	<0.500 mg/l	SM4500-P-E	MSK	10-05-21	2000
13 (22 2	0.	5111 1500 I L	TVION	10-03-21	1510

SAMPLE DATE/TIME: 28 SEP 21/1048 SAMPLE # 148521/148522/148523/148524

SAMPLE TYPE: CREEK SAMPLE

SAMPLE # 148521/148522/148523/148524		LOCATION: 2 - HOLLAND "MILL" CREEK				
PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME	
CBOD	1.4 mg/l	SM5210B	AB	09-29-21	1940	
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	HDJ	09-29-21	2310	
TKN	<1.00 mg/l	A4500-NH3-D	TRS	10-05-21		
NITRATE+NITRITE	<0.500 mg/l	300.0	HDJ	100	1400	
TOTAL PHOSPHORUS	<0.500 mg/l	SM4500-P-F	MSK	10-05-21	2028	

SAMPLE DATE/TIME: 28 SEP 21/1000 SAMPLE # 148525/148529/148527/148528 SAMPLE TYPE: CREEK SAMPLE
LOCATION: 3 – MILL CREEK

DID II compa		ECCNION. 3 - MILL CREEK				
PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME	
CBOD	1.2 mg/l	SM5210B	AB	09-29-21	1940	
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	HDJ	09-29-21	2215	
TKN	<1.00 mg/l	A4500-NH3-D	TRS	10-09-21	1402	
NITRATE+NITRITE	<0.500 mg/l	300.0	HDJ	10-05-21		
TOTAL PHOSPHORUS	<0.500 mg/l	SM4500-P-E	MSK	10-05-21	1855	

SAMPLE DATE/TIME: 28 SEP 21/1023 SAMPLE # 148529/148530/148531/148532

SAMPLE TYPE: CREEK SAMPLE LOCATION: 4 - MILL CREEK

D (D () Common		LOCA	TION, 4 - WILL	CREEK	
PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME
CBOD	1.0 mg/l	SM5210B	AB	09-29-21	1940
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	HDJ	09-29-21	2242
TKN	<1.00 mg/l	A4500-NH3-D	TRS	10-05-21	1404
NITRATE+NITRITE	<0.500 mg/l	300.0	HDJ	10-05-21	A JUNE OF THE PARTY OF THE PART
TOTAL PHOSPHORUS	<0.500 mg/l	SM4500-P-E	MSK	10-05-21	1923
			IVIOIX	10-03-21	1522

SAMPLES ANALYZED ACCORDING TO:

STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, 20TH EDITION, 1998, EPA METHODS FOR CHEMICAL ANALYSIS OF WATER AND WASTES, 600/4-79-020 MARCH 1983, RESULTS CALCULATED ON A WEIGHT BASIS

REPORT APPROVED BY:

THOMAS BRANTLY, JR LABORATORY MANAGER

REVIEWED BY:



STUDY: NPDES

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055 CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 1 - HOLLAND CREEK

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
148517	CBOD: PRESERVED 4°C	1-28-21	9'35	Bo Green
148518	ORTHOPHOSPHATE: PRESERVED 4°C	9-28-21	9:35	Bo Green
148519	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	9-28-21	9:36	Bo Green
48528	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	9-28-21	9:36	Bo Green

SAMPLE CHAIN OF CUSTODY:		- AUN	COURIER YES NO
TRANSFERRED BY: X Bo Greek	DATE/TIME:	9-28-21	
RECEIVED BY: X My Ken	DATE/TIME:	28 Sept 2	
TRANSFERRED BY: X	DATE/TIME:	1:05 pm	
RECEIVED BY: X (LABORATORY)	DATE/TIME: _	285erg21	X
PLEASE DO NOT WRITE BE	LOW THIS LINE	2:30 Pl	u
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB:			
SAMPLES STORED IN REFRIGERATOR ID#: 573 THERMOME	TER ID#: 37		
TRACKING #: 20//A			
pH Calibration :pH 4pH 7pH 10			



STUDY: NPDES

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055 CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 2 - HOLLAND "MILL" CREEK

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
148521	CBOD: PRESERVED 4°C	9-28-21	10:48	Bo Grac
148522	ORTHOPHOSPHATE: PRESERVED 4°C	9-28-21	10-: 44	R
148523	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	4-28-4	10: 4/8	Bo Greek
48524	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	9-28-21	10:218	Bo Green

SAMPLE CHAIN OF CUSTODY:	COUR	20
0 1	YES	NO
TRANSFERRED BY: X 50 GEORE DATE/TIME: 9-26-21		
RECEIVED BY: X Chy Sept 21		X
TRANSFERRED BY: X DATE/TIME:		
RECEIVED BY: X DATE/TIME: 28 SOF #2 (LABORATORY)		X
PLEASE DO NOT WRITE BELOW THIS LINE 2:30 PM	ĺ	
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB: < 4°C		
SAMPLES STORED IN REFRIGERATOR ID#: 573THERMOMETER ID#: 372		
SHIPPED BY: AECT TRACKING #:		
pH Calibration :pH 4pH 7pH 10		



STUDY: NPDES

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055 CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 3 - MILL CREEK

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
148525	CBOD: PRESERVED 4°C	9-2821	10:00	Bo Greene
148526	ORTHOPHOSPHATE: PRESERVED 4°C	9-28-21	10:00	Bo Grean
148527	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	9-28-21	10:01	Bo Greax
148528	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	9-28-21	10:01	Bo Greene

SAMPLE CHAIN OF CUSTODY:	COUR YES	LIER NO
TRANSFERRED BY: X Bo Green DATE/TIME:		
RECEIVED BY: X Chr Be DATE/TIME: 2		\bowtie
TRANSFERRED BY: X DATE/TIME:	SOSPM	
RECEIVED BY: X DATE/TIME: 2 (LABORATORY) PLEASE DO NOT WRITE BELOW THIS LINE	BSER421	×
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB:		
pH Calibration:pH 4pH 7pH 10		



STUDY: NPDES

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055 CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 4 - MILL CREEK

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
148529	CBOD: PRESERVED 4°C	9-28-21	10:23	Bo Greene
148530	ORTHOPHOSPHATE: PRESERVED 4°C	9-28-21	10:24	Bo Grace
148531	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	9-28-21	10:23	Bo Grane
148532	. TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	9-28-21	10123	Bo Greene

SAMPLE CHAIN OF CUSTODY:		COURIER YES NO
TRANSFERRED BY: X Bo Cocce	DATE/TIME: _ 9-28-21	
RECEIVED BY: X	DATE/TIME: 28 SCP42	el X
TRANSFERRED BY: X	DATE/TIME:	a
RECEIVED BY: X Chy Page 1	DATE/TIME: 28 SEPT2	1 0
(LABORATORY) PLEASE DO NOT WRITE BELO	OW THIS LINE 2:45 P	M
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB:		
	R ID#: 322	
SHIPPED BY: ACKING #: TRACKING #:		
pH Calibration :pH 4pH 7pH 10		



Alabama Office 334/745-0055 or 800/662-1584 Fax: 334/745-3095 TBrantly@AuburnEnvironmental.com 6485 LEÉ ROAD 54 AUBURN, AL 36830

Colorado Office 1-800-408-0083 MWallace@AuburnEnvironmental.com PO BOX 271716 FT. COLLINS, CO 80527

REPORT OF ANALYSIS

PHENIX CITY ENGINEERING DEPT. 1201-7TH AVENUE PHENIX CITY, AL 36868

SAMPLE DATE/TIME: 28 DEC 21/0935

SAMPLE TYPE: CREEK SAMPLE

SAMPLE # 149567/149568/149569/149570 LOCATION: 1 - HOLLAND CREEK

PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME
CBOD	1.0 mg/l	SM5210B	AB	12-29-21	1855
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	HDJ	12-29-21	1732
TKN	<1.00 mg/l	A4500-NH3-D	TRS	01-14-21	1315
NITRATE+NITRITE	<0.500 mg/l	300.0	HDJ	01-16-21	1453
TOTAL PHOSPHORUS	0.0340 mg/l	SM4500-P-E	MSK	01-11-21	1809

SAMPLE DATE/TIME: 28 DEC 21/1048

SAMPLE TYPE: CREEK SAMPLE

SAMPLE # 149571/149572/149573/149574 LOCATION: 2 - HOLLAND "MILL" CREEK METHOD ANALYST

PARAMETER	ANALISIS	METHOD	ANALISI	DATE	THVIE
CBOD	1.2 mg/l	SM5210B	AB	12-29-21	1855
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	HDJ	12-29-21	1759
TKN	<1.00 mg/l	A4500-NH3-D	TRS	01-14-21	1315
NITRATE+NITRITE	<0.500 mg/l	300.0	HDJ	01-16-21	1527
TOTAL PHOSPHORUS	0.0448 mg/l	SM4500-P-E	MSK	01-11-21	1809

SAMPLE DATE/TIME: 28 DEC 21/1000 SAMPLE # 149575/149576/149577/149528 SAMPLE TYPE: CREEK SAMPLE LOCATION: 3 - MILL CREEK

PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME
CBOD	<1.0 mg/l	SM5210B	AB	12-29-21	1855
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	HDJ	12-29-21	1825
TKN	<1.00 mg/l	A4500-NH3-D	TRS	01-14-21	1315
NITRATE+NITRITE	<0.500 mg/l	300.0	HDJ	01-17-21	1101
TOTAL PHOSPHORUS	0.0484 mg/l	SM4500-P-E	MSK	01-11-21	1809

SAMPLE DATE/TIME: 28 DEC 21/1023 SAMPLE # 149579/149580/149581/149582

SAMPLE TYPE: CREEK SAMPLE LOCATION: 4 - MILL CREEK

ANALYSIS	METHOD	ANALYST	DATE	TIME
<1.0 mg/l	SM5210B	AB	12-29-21	1855
<0.100 mg/l	E300.0	HDJ	12-29-21	1852
<1.00 mg/l	A4500-NH3-D	TRS	01-14-21	1315
<0.500 mg/l	300.0	HDJ	01-16-21	2103
<0.0200 mg/l	SM4500-P-E	MSK	01-11-21	1809
	<1.0 mg/l <0.100 mg/l <1.00 mg/l <0.500 mg/l	<1.0 mg/l SM5210B <0.100 mg/l	<1.0 mg/l SM5210B AB <0.100 mg/l	<1.0 mg/l SM5210B AB 12-29-21 <0.100 mg/l

SAMPLES ANALYZED ACCORDING TO:

STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER 20TH EDITION 1998 EPA METHODS FOR CHEMICAL ANALYSIS OF WATER AND WASTES, 600/4-79-020 MARCH 1983. RESULTS CALCULATED ON A WEIGHT BASIS

REPORT APPROVED BY:

THOMAS BRANTLY, JR LABORATORY MANAGER

REVIEWED BY: 5



STUDY: NPDES

CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION – 1 – HOLLAND CREEK

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
149567	CBOD: PRESERVED 4°C	12-28-2021	9:45 AM	Bo breve
149568	ORTHOPHOSPHATE: PRESERVED 4°C	12-24-2021	1:45 Am	J. Fosser
149569	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	12-26-2021	9:45 AM	J. Foster
149570	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	12-28-2021	nillsm	J. Foster

SAMPLE CHAIN OF CUSTODY:	COUR YES	HER NO
TRANSFERRED BY: X Jonathan Foster mo DATE/TIME: 12/28/21		V
		X
TRANSFERRED BY: X DATE/TIME:		
RECEIVED BY: X Chy Re DATE/TIME: 28 DEC2 (LABORATORY)		X
(LABORATORY) PLEASE DO NOT WRITE BELOW THIS LINE 2:00PA	2	
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB:		
pH Calibration :pH 4pH 7pH 10		



STUDY: NPDES

CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 2 - HOLLAND "MILL" CREEK

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
149571	CBOD: PRESERVED 4°C	12-28-2011	10:10 An	J. Foster
149572	ORTHOPHOSPHATE: PRESERVED 4°C	12-25-2021	10:10 Am	J. Foster
149573	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	12-28-2021	10:10 Am	d. Forta
149574	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	12-24-204	10-10 Am	Bo Grece

SAMPLE CHAIN OF CUSTODY:	COUR YES	LIER NO
TRANSFERRED BY: X Jonathy Fosto Just Date / DATE / TIME: 12/28/4		1
RECEIVED BY: X Ch. Ber DATE/TIME: 280E-21		X
TRANSFERRED BY: X DATE/TIME: 12:15pm		
RECEIVED BY: X Chy 17 C DATE/TIME: 28 De-21 (LABORATORY) PLEASE DO NOT WRITE BELOW THIS LINE 25 SPAN		Ø.
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB:		



STUDY: NPDES

CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 3 - MILL CREEK

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
149575	CBOD: PRESERVED 4°C	12-28-2021	9:14 Am	Jonathan F.
149576	ORTHOPHOSPHATE: PRESERVED 4°C	12-28-2021	9:14 AM	Jonathan P
149577	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	12-28-2021	9:14 Am	Bo 6.
149578	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	12-28-2021	9:14 Am	Bo 6.

SAMPLE CHAIN OF CUSTODY:			YES NO
TRANSFERRED BY: X John Foster	DATE/TIME:	12/8/21	/
RECEIVED BY: X C/3 /SCI	DATE/TIME:	28 peeu	
TRANSFERRED BY: X	DATE/TIME:	12:18 pm	
RECEIVED BY: X Chr Ben	DATE/TIME:	28 Dec21	X
(LABORATORY) PLEASE DO NOT WRITE BEL		2:10 PM	_
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB:			
	ER ID#: 372		
SHIPPED BY: ACCT TRACKING #:	House the said to		
pH Calibration :pH 4pH 7pH 10			



STUDY: NPDES

CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 4 - MILL CREEK

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
149579	CBOD: PRESERVED 4°C	12-28-2821	9:36 Am	J. Foster
149580	ORTHOPHOSPHATE: PRESERVED 4°C	12-24-2021	9:36 Am	J. Foster
144581	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	12-29-2071	9136 AM	Bo Greno
49582	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	12-28-2021	9:36 Am	Bo Geore

			COUR	UER
SAMPLE CHAIN OF CUSTODY:			YES	NO
TRANSFERRED BY: X Johnthun Foster Junt 1805	DATE/TIME:	12/28/21	X	
RECEIVED BY: X CB - W	DATE/TIME:	28 De-21		×
TRANSFERRED BY: X	DATE/TIME:	12:16 Pan		
RECEIVED BY: X (LABORATORY)	_ DATE/TIME:	28 Dece 1		K
PLEASE DO NOT WRITE BELO	W THIS LINE	2:1217/2		
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB: 44°C	255			
SAMPLES STORED IN REFRIGERATOR ID#:	ID#: 372			
SHIPPED BY: AECT TRACKING #:				
pH Calibration :pH 4pH 7pH 10				



Alabama Office 334/745-0055 or 800/662-1584 Fax: 334/745-3095 TBrantly@AuburnEnvironmental.com 6485 LEE ROAD 54 AUBURN, AL 36830

Colorado Office 1-800-408-0083 MWallace@AuburnEnvironmental.com PO BOX 271716 FT. COLLINS, CO 80527

REPORT OF ANALYSIS

PHENIX CITY ENGINEERING DEPT. 1207- 7TH AVENUE PHENIX CITY, AL 36868

SAMPLE DATE/TIME: 29 JUN 21/0930 SAMPLE TYPE: CREEK SAMPLE SAMPLE # 147626/147627/147628/147629 LOCATION: 1 – HOLLAND CREEK

PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME
CBOD	1.0 mg/l	SM5210B	AB	06-30-21	1950
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	HDJ	06-30-21	1745
TKN	<1.00 mg/l	A4500-NH3-D	TRS	07-09-21	1550
NITRATE+NITRITE	<0.500 mg/l	300.0	HDJ	07-08-21	1720
TOTAL PHOSPHORUS	0.0201 mg/l	SM4500-P-E	MS	07-07-21	1335

SAMPLE DATE/TIME: 29 JUN 21/1037 SAMPLE TYPE: CREEK SAMPLE SAMPLE # 147630/147631/147632/147633 LOCATION: 2 - HOLLAND "MILL" CREEK

PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME
CBOD	<1.0 mg/l	SM5210B	AB	06-30-21	1950
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	HDJ	06-30-21	1813
TKN	<1.00 mg/l	A4500-NH3-D	TRS	07-09-21	1518
NITRATE+NITRITE	<0.500 mg/l	300.0	HDJ	07-08-21	1748
TOTAL PHOSPHORUS	0.0201 mg/l	SM4500-P-E	MS	07-07-21	1335

SAMPLE DATE/TIME: 29 JUN 21/0950 SAMPLE TYPE: CREEK SAMPLE SAMPLE # 147634/147635/147636/147637 LOCATION: 3 – MILL CREEK

PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME
CBOD	<1.0 mg/l	SM5210B	AB	06-30-21	1950
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	HDJ	06-30-21	1841
TKN	<1.00 mg/l	A4500-NH3-D	TRS	07-09-21	1552
NITRATE+NITRITE	<0.500 mg/l	300.0	HDJ	07-08-21	1816
TOTAL PHOSPHORUS	0.0786 mg/l	SM4500-P-E	MS	07-07-21	1335

SAMPLE DATE/TIME: 29 JUN 21/1015 SAMPLE TYPE: CREEK SAMPLE SAMPLE # 147638/147649/147641 LOCATION: 4 - MILL CREEK

PARAMETER	ANALYSIS	METHOD	ANALYST	DATE	TIME
CBOD	<1.0 mg/l	SM5210B	AB	06-30-21	1950
ORTHOPHOSPHATE	<0.100 mg/l	E300.0	HDJ	06-30-21	1909
TKN	<1.00 mg/l	A4500-NH3-D	TRS	07-09-21	1440
NITRATE+NITRITE	<0.500 mg/l	300.0	HDJ	07-08-21	1844
TOTAL PHOSPHORUS	0.0347 mg/l	SM4500-P-E	MS	07-07-21	1335

SAMPLES ANALYZED ACCORDING TO:

STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, 20TH EDITION, 1998. EPA METHODS FOR CHEMICAL ANALYSIS OF WATER AND WASTES, 600/4-79-020 MARCH 1983. RESULTS CALCULATED ON A WEIGHT BASIS

REPORT APPROVED BY:

THOMAS BRANTLY, JR LABORATORY MANAGER

REVIEWED BY:



STUDY: NPDES

CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION – 1 – HOLLAND CREEK

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
147626	CBOD: PRESERVED 4°C	6-29-21	9:30 Am	Bo Greene
147627	ORTHOPHOSPHATE: PRESERVED 4°C	6-29-21	9:30 AM	Bo Greene
147628	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	6-29-21	9:30 Am	Bo Greene
147629	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	6-29-21	9:30 AM	Bo Greene

SAMPLE CHAIN OF CUSTODY:			COUR YES	HER NO
TRANSFERRED BY: X B, Grece	_ DATE/TIME:	C-29-21 11.00A		
RECEIVED BY: X Chan Recu	_ DATE/TIME:	89 Jun 21		K
TRANSFERRED BY: X	_DATE/TIME:	1:12 px1		
RECEIVED BY: X 6/2	DATE/TIME:	2956121		X
(LABORATORY) PLEASE DO NOT WRITE BELOW	V THIS LINE	2:35PX1		
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB: THERMOMETER IS SHIPPED BY: TRACKING #:	D#:302			
pH Calibration :pH 4pH 7pH 10				
SHIPPED BY: AECT TRACKING #: VIA				



STUDY: NPDES

CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 2 - HOLLAND "MILL" CREEK

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
147630	CBOD: PRESERVED 4°C	6-29-21	10:37 Am	Bo Greene
147631	ORTHOPHOSPHATE: PRESERVED 4°C	6-29-21	16:37 Am	Bo Greene
147632	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	6-29-21	10:37 Am	Bo Greck
147633	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	6-29-21	10:37 Am	Bo Greek

SAMPLE CHAIN OF CUSTODY:		COURIE YES N	ER NO
TRANSFERRED BY: X Go Gree	DATE/TIME: 6-29-21 11:00A/	f	
RECEIVED BY: X Chi	DATE/TIME: 29 Jun 21		X
TRANSFERRED BY: X	DATE/TIME:		
RECEIVED BY: X C/5 Rem	DATE/TIME: 29JUN2 (1	X
(LABORATORY) PLEASE DO NOT WRITE BELOW	THIS LINE 2:45PAR	'	
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB:	#: <u>372</u>		
pH Calibration :pH 4pH 7pH 10			



STUDY: NPDES

CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 3 - MILL CREEK

TRANSFER TO: AUBURN ENVIRONMENTAL

6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
147634	CBOD: PRESERVED 4°C	6-29-21	9:50AM	Bo Grace
147635	ORTHOPHOSPHATE: PRESERVED 4°C	6-29-21	9,50 Am	Bo Gene
147636	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	6-24-21	9:50 Au	Bo Gaca
147637	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	6-29-21	9.50 Am	Bo Grece

SAMPLE CHAIN OF CUSTODY:	COUF YES	UER NO
TRANSFERRED BY: X Be Green DATE/TIME: 6-29-21 11/00/		
RECEIVED BY: X DATE/TIME: 29 JUN21		X
TRANSFERRED BY: X DATE/TIME:		
RECEIVED BY: X Ch DATE/TIME: 29 JUN 21	_	X
(LABORATORY) PLEASE DO NOT WRITE BELOW THIS LINE 2 55 PX		
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB: 44°C SAMPLES STORED IN REFRIGERATOR ID#: 57.3 THERMOMETER ID#: 372 SHIPPED BY: 4 CT TRACKING #: 4		
pH Calibration :pH 4pH 7pH 10		



STUDY: NPDES

CLIENT: CITY OF PHENIX CITY LOCATION: PHENIX CITY, AL

PROJECT: 4482-16-055

SAMPLE LOCATION - 4 - MILL CREEK

TRANSFER TO: AUBURN ENVIRONMENTAL


6485 LEE ROAD 54 AUBURN, AL 36830 (334) 745-0055

SAMPLE# LAB USE ONLY	ANALYSIS, MEASUREMENT	DATE COLLECTED	TIME COLLECTED	PERSON COLLECTING
147638	CBOD: PRESERVED 4°C	6-24-21	10:15 Am	Bo Greece
47639	ORTHOPHOSPHATE: PRESERVED 4°C	6-29-21	10:15 AM	Bo Grece
47640	NITRATE+NITRITE, TKN: PRESERVED 4°C, H ₂ SO ₄	6-29-21	10:15 Am	Bo Greene
147641	TOTAL PHOSPHORUS: PRESERVED H ₂ SO ₄	6-29-21	10:15An	Bo Grene


			COUR	
SAMPLE CHAIN OF CUSTODY:			YES	NO
TRANSFERRED BY: X & Gree I	DATE/TIME:	6-29-21 11:00A		
RECEIVED BY: X C/3 P	DATE/TIME:	29 JUN21		X
TRANSFERRED BY: X	DATE/TIME:	3.03 4/1		
	ATE/TIME:	29 Jun 21		\propto
(LABORATORY) PLEASE DO NOT WRITE BELOW T	THIS LINE	3105711		
TEMPERATURE OF SAMPLES WHEN REC'D BY LAB: SAMPLES STORED IN REFRIGERATOR ID#: THERMOMETER ID#	372			
PH Calibration: pH 4 pH 7 pH 10				
pri Canorationpri ipri ip				



Rainfall Totals for Phenix City 1/1/2021 - 12/31/2021			
January	4.1	in.	
February	4.7	in.	
March	4.9	in.	
April	4.1	in.	
May	3.3	in.	
June	4.1	in.	
July	6	in.	
August	7.9	in.	
September	4.3	in.	
October	8.4	in.	
November	0.4	in.	
December	4.5	in.	
Yearly Total	56.7	in.	



Rainfall Totals for Phenix City 1/1/2022 - 3/31/2022			
January	3.6	in.	
February	5.1	in.	
March	4.2	in.	
April		in.	
May		in.	
June		in.	
July		in.	
August		in.	
September		in.	
October		in.	
November		in.	
December		in.	
Total	13.7	in.	



Appendix III – Construction Forms

MUNICIPAL FACILITY BMP INSPECTION CHECKLIST

Facility Name:		ĭ	Location:	
Department:	ı	Facility	Facility Contact:	
Inspection Date: Time:		드	Inspector:	
			_	
	Yes	No	N/A	Comments
Overall Facility				
Work areas clear of trash, chemicals				
Traffic routes clear of trash, chemicals				
Fencing, gating, or lighting is functional				
Spill control supplies fully stocked				
Signs of erosion in vegetated areas				
Interior Chemical Storage				
Materials stored in designated locations				
SDS sheets available				
Containers labeled				
Containers stored away from driving lanes, aisles, or doorways				
Accumulated liquids in spill pallets				
Waste Storage Area				
Waste containers labeled				
Containers stored away from driving lanes, aisles, or doorways				
Waste containers closed when material is not being added				
Waste containers over 3/4 full				
Accumulated liquids in spill pallets				
Spill control supplies fully stocked				
Driving and Parking Areas				
Stains or puddles of chemicals present				
Vehicle Wash Areas				
Foam or sheen present				
Staining present at the facility outfall(s)				
Other				



City of Phenix City Engineering Department

EROSION AND SEDIMENT CONTROL INSPECTION REPORT

DATE: WEATHER:	TIME	PROJECT/S CITY PERSO	UBDIVISION; DNNEL:		
REGULAR	WEATHER EVEN	ITCIT	IZEN COMPL	AINT	OTHER
	DAILY RI	EPORT OF	ACTIVITIE	S	
					· · · · · · · · · · · · · · · · · · ·
<u> </u>		 .			
		 -	· ,		
		,			
:					
INSPECTION I	BY:				



City of Phenix City Engineering Department

DETENTION POND INSPECTION FORM

SITE:	_ DATE:	TIME_	_	
DATE OF LAST INSPECTION:	_ DESIGN DATA	A ON FILE:	Υ_	_N
MAINTAINED BY: PHOTOGRAHS TAKEN: Y N	NUMBER OF	PONDS ON	SITE:	
ITEMS INSPECTED				
VEGETATIVE COVER:			·	
SEDIMENT:			·	
DEBRIS:			<u> </u>	<u> </u>
FENCING:				
INLETS:				
EMERGENCY SPILLWAY:				
COMMENTS/CORRECTIVE ACTION NEED	DED:			
				· ·
	<u> </u>			<u> </u>
				·
INSPECTED BY:				
TITI F				



Notification of The Erosion and Sediment Control Policy of The City of Phenix City, AL


Contact Information:	
Property Owner	Site Address
Owner Address	Contractor
City / State	Contact Number
AL, adopted on August 16, 2005 b Ordinance 2007-07. Failure to con	sion and Sediment Control Policy of the City of Phenix City, by Ordinance 2005-22 and amended on February 21, 2007 by apply with the provisions of the policy could result in the City a stop work order or both in accordance with the above ref-
land disturbing activity that affects activity shall be conducted, or their	sove referenced policy: Before the commencement of any some acre or more, the owner of the land on which such ir duly authorized agent, shall file with the City of Phenix and obtain approval of a site-specific Erosion and Sediment
assigned to those non-excluded lar isting disturbed sites that are contr to obtain an NPDES Permit or sub	bove referenced policy: Permit by Rule status will be and disturbing activities less than one acre in size and any exibution to sediment runoff. These sites, although not required omit for approval an ESC Plan, are still required to implement actices at the site and are subject to all provisions of the poli-
sediment control practices, and wa most recent version of the BMP M requirements set forth by the City	above referenced policy: Grading, erosion control practices, aterway crossings shall meet the design criteria set forth in the fanual(s) approved by ADEM, and any additional and shall be adequate to prevent the site to the satisfaction of the City.
I hereby acknowledge that I have a Policy of the City of Phenix City.	read this Notification of the Erosion and Sediment Control
Signature	Date

City of Phenix City Engineering and Public Works Department

Permit to Construct a Turnout to Provide Access to a City Street (Residential)

Remit to: P.O. Drawer 279, 1206 7th Avenue, Phenix City, AL 36867, (334) 448-2760

Permit Number Date Received Date Approved Date City Engineer Date Date City Engineer Date Date City Engineer Date City	Astuse of Arbbitcatif			Office Use Only
Description of Work The applicant hereby request permission from the City of Phenix City Engineering Department to construct a turnout to the bove named City Street. The applicant agrees that approval of this request is subject to revocation by the Engineering Department and subject to the following terms and conditions: 1. The applicant agrees to comply with the current policy, specifications, and standard drawings as set forth by the Pheni City Engineering Department. Information is available at the above remittance address. 2. The applicant agrees to context the Phenix City Engineering Department for a site evaluation before work on said driveway begins and a pre-powered framing laspection. 3. The applicant is not permitted to use any portion of the City right-of-way for any purpose other than construction and maintenance of the proposed furnout. Structures, signs, treat/shrubs, or any other right-of-way encroschment not described above and /or shown on an attached dewing and approved as a part of this permit are problemed. 4. The applicant signess to responsible for attached developed and proposed and proposed the proposed developed and the city of the context of the proposed developed and functioning proporty at all tiense. The City will only maintent that portion of the turnout that ties in with the street that may be necessary due to modifications to the readway. 5. The applicant shall be responsible for locating any underground utilities that may be in conflict with the proposed work. Any damages that occur to existing utilities, existing drainage structures, or the existing street surface will be the sole responsible for locating any underground utilities that may be in conflict with the proposed work. Any damages that occur to existing utilities, existing drainage structures, or the existing street surface will be the sole responsible for the applicant, in the case where City forces are installing a pipe and fill for the turnout, the applicant is responsible for this aportion of the work conside	Mailing Address			Pennit Number
Description of Work The applicant hereby request permission from the City of Phenix City Engineering Department to construct a turnout to the bove named City Street. The applicant agrees that approval of this request is subject to revocation by the Engineering Department and subject to the following terms and conditions: 1. The applicant agrees to comply with the current policy, specifications, and standard drawings as set forth by the Pheni City Engineering Department. Information is available at the above remittance address. 2. The applicant agrees to context the Phenix City Engineering Department for a site evaluation before work on said driveway begins and a pre-powered framing laspection. 3. The applicant is not permitted to use any portion of the City right-of-way for any purpose other than construction and maintenance of the proposed furnout. Structures, signs, treat/shrubs, or any other right-of-way encroschment not described above and /or shown on an attached dewing and approved as a part of this permit are problemed. 4. The applicant signess to responsible for attached developed and proposed and proposed the proposed developed and the city of the context of the proposed developed and functioning proporty at all tiense. The City will only maintent that portion of the turnout that ties in with the street that may be necessary due to modifications to the readway. 5. The applicant shall be responsible for locating any underground utilities that may be in conflict with the proposed work. Any damages that occur to existing utilities, existing drainage structures, or the existing street surface will be the sole responsible for locating any underground utilities that may be in conflict with the proposed work. Any damages that occur to existing utilities, existing drainage structures, or the existing street surface will be the sole responsible for the applicant, in the case where City forces are installing a pipe and fill for the turnout, the applicant is responsible for this aportion of the work conside	City	State	Zip Code	Date Received
Description of Work The applicant hereby request permission from the City of Phenix City Engineering Department to construct a turnout to the bove named City Street. The applicant agrees that approval of this request is subject to revocation by the Engineering Department and subject to the following terms and conditions: 1. The applicant agrees to comply with the current policy, specifications, and standard drawings as set forth by the Phenix City Engineering Department. Information is available at the above remittance address. 2. The applicant agrees to contact the Phenix City Engineering Department for a site evaluation before work on said driveway begins and a pre-powered framing taspection. 3. The applicant agrees to contact the Phenix City Engineering Department for a site evaluation before work on said driveway begins and a pre-powered framing taspection. 4. The applicant agrees to maintain any drainage structures, signs, trees/shrubs, or any other right-of-way encroacherent not described above and for shown on an attached drawing and approved as a part of this permit are problemed. 4. The applicant agrees to maintain any drainage structures installed or constructed as a part of this permit are published. 5. The applicant agrees to maintain any drainage structures installed or constructed as a part of this permit are problemed work. Any damages that occur to existing utilities, existing drainage structures, or the existing structure with the proposed work. Any damages that occur to existing utilities, existing drainage structures, or the existing water undoor shall be responsible for locating any underground utilities that may be in conflict with the proposed work. Any damages that occur to existing utilities, existing drainage structures, or the existing water and/or sanitary sower services and will provide a ministrum horizontal clearance of 5 feet between driveway and said services. This requirement is only for water and sanitary serve revices under street protection. Agency (EPA) and the Alabam				
The applicant hereby request permission from the City of Phenix Ctry Engineering Department to construct a turnout to the bove named City Street. The applicant agrees that inproval of this request is subject to revocation by the Engineering Pepartment and subject to the following terms and conditions: 1. The applicant agrees to comply with the current policy, specifications, and standard drawings as set forth by the Phenit City Engineering Department for a site evaluation before work on and driveway begins and a pre-poured fraudit glaspection. 2. The applicant is not permitted to use any portion of the City right-of-way for any purpose other than construction and maintenance of the proposed namous. Structures, signs, tress/shrubs, or any other right-of-way encroachment not described above and /or shown on an attached drawing and approved as a part of this permit are prohibited. 4. The applicant agrees to maintain any drainage structures installed or constructed as a part of this permit and keep the same cleared out and functioning properly at all tienes. The City will only maintain that portion of the turnout that the in with the street that may be necessary due to modifications to the roadway. 5. The applicant shall be responsible for locating any underground utilities that may be in conflict with the proposed work. Any damages that occur to existing utilities, existing drainage structures, or the existing street surface will be the sole responsibility of the applicant in the case where City forces are installing a pipe and fill for the turnout, the applicant's responsibility is a wise for that portion of the work complicated by City forces. 6. The applicant agrees that the proposed driveway shall not be constructed above any existing water and/or sanitary sower services may will provide a minitourn horizonial clearance of 5 feet between driveway and said services. This requirement is only for water and sanitary sewer services under street parement. 7. The applicant shall not make any additions or modifi				
Department and City Street. The applicant agrees that approval of this request is subject to revocation by the Engineering Department and subject to the following terms and conditions: 1. The applicant agrees to comply with the current policy, specifications, and standard drawings as set forth by the Phenic City Engineering Department. Information is available at the above remittance address. 2. The applicant agrees to contact the Phenix City Engineering Department for a site evaluation before work on said driveway begins and a pre-poured framing laspection. 3. The applicant agrees to contact the Phenix City Engineering Department for a site evaluation before work on said driveway begins and a pre-poured framing laspection. 3. The applicant agrees to maintain any drainage structures installed or constructed as a part of this permit and keep the same cleaned out and functioning properly at all times. The City will only maintain that portion of the turnout that ties in with the street that may be necessary due to modifications to the roadway. 5. The applicant shall be responsible for locating any underground utilities that may be in conflict with the proposed work. Any damages that occur to existing utilities, existing drainage structures, or the existing street surface will be the sole responsibility of the applicant. In the case where City forces are installing a pipe and fill for the turnout, the applicant agrees that the proposed driveway shall not be constructed above any existing water and/or sanitary tower services and will provide a minimum horizontal clearance of 5 feet between driveway and said services. This requirement is only for water and sanitary services under street payement. 7. The applicant is responsible for conforming to the regulations of the Environmental Protection Agency (EPA) and the Alabama Department of Environmental Management (ADEM) for the proposed work. This also applies to any hazardous materials encountered during the construction of the turnout or surrounding right-of-way	Description of Work	······································		
Applicant Date econamended for Approval: APPROVED:	bove named City Street. The profile to to the applicant agricate agriculture a	he applicant agrees that the following terms and ones to comply with the co- popertional. Informatic Department. Informatic rees to contact the Pacegias and a pre-pound permitted to use and to permitted to use and to proposed turnout. Sin	approval of this request is conditions: current policy, specification on is available at the above thix City Engineering Dep framing Inspection. portion of the City right-of-	subject to revocation by the Engineering s, and standard drawings as set forth by the Phenix remittance address. sartment for a site evaluation before work on way for any purpose other than construction and
	4. The applicant ages same cleaned out in with the street in with the street in the applicant shall work. Any damage sole responsibility applicant's responsibility applicant's responsewer services agreement is only as water services. The applicant is reall as water services. The applicant is reall abama. Departm hazardous stateria. The applicant shall obtaining a new perfects. City or its any compensation. 9. The turnout and rethe permit become completion.	ses to maintain any drain and functioning properly hat may be necessary do I be responsible for lose es that occur to existing of the applicant. In the sibility is waived for the est that the proposed dri- l will provide a minimur y for water and sanitary from the main to the met sponsible for conformit ent of Environmental M is encountered during the mot make may addition ermit from the Phenix C contractors have the righ- to the applicant.	ched drawing and approved nage structures installed or y at all times. The City will te to modifications to the na- ting any underground utili- utilities, existing drainage case where City forces are at portion of the work comp- vieway shall not be constru- in horizontal elearance of 5 sewer services on which the ter and sunitary services and g to the regulations of the lanagement (ADEM) for the construction of the turno so or modifications to be ity Engineering Department to remove shall be completed.	as a part of this permit are prohibited, constructed as a part of this permit and keep the I only maintain that portion of the turnout that ties bedway, ties that may be in conflict with the proposed structures, or the existing street surface will be the installing a pipe and fill for the turnout, the bleted by City forces, cited above any existing water and/or sanitary leet between driveway and said services. This is City of Phenix City would perform repairs such der street pavement. Environmental Protection Agency (EPA) and the e proposed work. This also applies to any ut. The applicant also agrees that the City of fruct the turnout if it becomes necessary without and within one year from the date of application or
Authorized Representative Title Date City Engineer	4. The applicant ages same cleaned out in with the street in with the street in the applicant that work. Any damag sole responsibility applicant's responsibility applicant's responsibility applicant's responsibility according to the applicant ages requirement is out as water services. 7. The applicant is reall as water services. 8. The applicant shall obtaining a new perfects City or its any compensation. 9. The turnout and rethe permit become completion.	tes to maintain any drain and functioning properly hat may be necessary the loc responsible for loce as that occur to existing of the applicant. In the sibility is waived for this est that the proposed drift will provide a minimum of the main to the mel sponsible for conforming the make any additionarmit from the Penix Contractors have the right to the applicant. Bated work covered by the null and void. Once we	ched drawing and approved nage structures installed or y at all times. The City will te to modifications to the na- ting any underground utility utilities, existing drainage ease where City forces are at portion of the work composition of the work composition of the work composition of the work composition in horizontal elearance of 5 sewer services on which the and sunitary services was go to the regulations of the lanagement (ADEM) for the construction of the turno sor modifications to the turno sor modifications to the turno to remove and/or reconstal to remove and/or reconstal work has begun it shall be p	as a part of this permit are prohibited, constructed as a part of this permit and keep the I only maintain that portion of the turnout that ties bedway, ties that may be in conflict with the proposed structures, or the existing street surface will be the installing a pipe and fill for the turnout, the bleted by City forces, cited above any existing water and/or sanitary leet between driveway and said services. This is City of Phenix City would perform repairs such der street pavement. Environmental Protection Agency (EPA) and the e proposed work. This also applies to any ut. The applicant also agrees that the City of fruct the turnout if it becomes necessary without and within one year from the date of application or
	4. The applicant ages same cleaned out in with the street in with the street in work. Any damage sole responsibility applicant's responsibility applicant's responsibility applicant ages requirement is out as water services and requirement is out as water services. 7. The applicant is reallabarna Departm hazardous stateria. 8. The applicant shall obtaining a new perfective city or its any compensation. 9. The turnout and rethe permit become completion.	ces to maintain any drain and functioning properly hat may be necessary do loe responsible for loes as that occur to existing of the applicant. In the sibility is waived for this est that the proposed drill will provide a minimum y for water and sanitary for water and sanitary from the main to the meisponsible for conforming the formation of Environmental M is encountered during the mot make any additionamit from the Phenix Contractors have the right to the applicant. Interest work covered by the multiple and void. Once we icent	ched drawing and approved nage structures installed or y at all times. The City will te to modifications to the na- ting any underground utility utilities, existing drainage ease where City forces are at portion of the work composition of the work composition of the work composition of the work composition in horizontal elearance of 5 sewer services on which the and sunitary services was go to the regulations of the lanagement (ADEM) for the construction of the turno sor modifications to the turno sor modifications to the turno to remove and/or reconstal to remove and/or reconstal work has begun it shall be p	ins a part of this permit are prohibited, constructed as a part of this permit and keep the I only maintain that portion of the turnout that ties andway, ties that may be in conflict with the proposed structures, or the existing street surface will be the structures, or the existing street surface will be the structures, or the existing street surface will be the structures, or the existing water and/or sanitary lett between driveway and said services. This are City of Phenix City would perform repairs such der street pavement. Environmental Protection Agency (EPA) and the te proposed work. This also applies to any ut. Thout or surrounding right-of-way without it. The applicant also agrees that the City of fruct the turnout if it becomes necessary without and within one year from the date of application or tursued in a continuous and diligent manner until




- DRIVEWAY SHALL BE CONSTRUCTED SO THAT STORM WATER DOES NOT ENTER OR EXIT THE ROADWAY.
- *EXISTING CURB & GUTTER SHALL BE SAWCUT AND REMOVED AS REQUIRED BY INSPECTOR. TO PREVENT DAMAGE TO EXISTING PAVEMENT AND CURB. ALL EDGES SHALL BE NEAT AND STRAIGHT. EXISTING CONCRETE SHALL BE SCARIFIED TO ENSURE PROPER BONDING.
- *A PERMIT IS REQUIRED TO CONSTRUCT A TURNOUT ON CITY RIGHT OF WAY. CONTACT THE PHENIX CITY ENGINEERING DEPARTMENT (448-2760).
- *LOCATE ALL UTILITIES PRIDE TO BEGINNING WORK. CALL ALA. LINE LOC. CENTER (1-800-292-8525) AND P.C. UTILITIES (448-2902).

DETAILS FOR RESIDENTIAL TURNOUT
(RURAL SECTION) RADIUS

PHENIX CITY ENGINEERING DEPT. 1111 BROAD ST., BLDG. B PHENIX CITY, ALABAMA 36867

DWG. NO.:	DATE:	BY:
TO-100 B	12-6-93	ВО
10 100 2	REVISIONS:	
SCALE:	10~04-06	ABT
N.T.S.	9-29-08	ABT



Name of Applicant ___


City of Phenix City Engineering and Public Works Department

Permit to Construct a Turnout to Provide Access to a City Street (Commercial)

Office Use Only

Remit to: P.O. Drawer 279, 1206 7th Avenue, Phenix City, AL 36867, (334) 448-2760

City					Permit Numbe	ង ខ្
		State	Zip Code		Date Received	
Telepho	one Number		· · · · · · · · · · · · · · · · · · ·		Date Approve	d
Address	s of Proposed Turnout					
Descrip	otion of Work Shown on t	ne Attached Dra	wing (may require	stamp by a lie	ensed engineer if con	ditions warrant)
numed C	applicant hereby request per ity Street. The applicant ago o the following terms and co	nees that approval	City of Phenix City I of this request is sub	ingineering Depried to revocati	nament to construct a to on by the Engineering D	umous to the above epartment and
1. 2.	The applicant agrees to cor Engineering Department. I The applicant agrees to co	information is ava	ilable at the above re	emittance addre	ss.	
3.	driveway begins and a pr The applicant is not permit	e-poured framing ted to use any port	g inspection. tion of the City right	-of-way for any	purpose other than cons	struction and
4,	maintenance of the propose above and for shown on an The applicant agrees to ma cleaned out and functioning	attached drawing Intain ony draina	and approved as a p c structures installed	art of this permi for constructed	t are prohibited. as a part of this permit a	and keen the same
5.	street that may be necessar. The applicant shall be resp	y due to modificat	ions to the readway.			
٠,	damages that occur to exist responsibility of the applica responsibility is waived for	ing utilities, exist m. In the case wi	ng drainage structur here City forces are i	es, or the existic installing a pipe	re street surface will be	the sole
6.	The applicant agrees that the services and will provide a	ic proposed drivev minimum horizon	vay shall not be consistal elearance of 5 fe	structed above a et between drive	eway and said services.	This requirement is
	only for water and sanitary	sewer services on and sanitary servi	which the City of P bes under street nave	enent.		as water services
-	from the main to the meter		p=1.		tal Protection Agency / I	
7.	The applicant is responsible Alabama Department of En	of or conforming to introduce the conformation of the conformation	o the regulations of a agement (ADEM) fo	the Environment of the proposed	work. This also applies	EPA) and the to any hazardous
7. 8.	The applicant is responsible Alabama Department of En materials encountered during The applicant shall not make new permit from the Phenix	o for conforming to vironmental Mass ig the construction to any additions of the City Engineering	o the regulations of agement (ADEM) for of the turnout, a modifications to the Department. The a	or the proposed e turnout or sur policant also as	work. This also applies ounding right-of-way w rees that the City of Phe	to any hazardous rithout obtaining a
	The applicant is responsible Alabama Department of En materials encountered durin The applicant shall not make	e for conforming to vironmental Mass ig the construction is any additions or City Engineering or remove and/or re- remove and/or re-	o the regulations of agement (ADEM) for of the turnout, a modifications to the Department. The acconstruct the turnout permit shall be com-	or the proposed the turnout or sur- applicant also ago this is becomes a pleted within o	work. This also applies counding right-of-way w press that the City of Phe necessary without any co ne year from the date of	to any hazardous ithout obtaining a mix City or its compensation to the annifection or the
8. 9.	The applicant is responsible Alabama Department of En materials encountered durir The applicant shall not make permit from the Phenix contractors have the right to applicant. The turnout and related we permit becomes null and vecompletion.	e for conforming to vironmental Mass ig the construction is any additions or City Engineering or remove and/or re- remove and/or re-	o the regulations of agement (ADEM) for of the turnout, modifications to the Department. The acconstruct the turnout permit shall be come to be gun it shall be p	or the proposed the turnout or sur- applicant also ago this is becomes a pleted within o	work. This also applies counding right-of-way w press that the City of Phe necessary without any co ne year from the date of	to any hazardous ithout obtaining a mix City or its compensation to the application or the oner until
8. 9, Signed	The applicant is responsible Alabama Department of En materials encountered durif The applicant shall not mal new permit from the Phenix contractors have the right to applicant. The turnout and related worpermit becomes null and vo completion.	e for conforming to vironmental Mass ig the construction is any additions or City Engineering or remove and/or re- remove and/or re-	o the regulations of agement (ADEM) for of the turnout, a modifications to the Department. The acconstruct the turnout permit shall be com-	or the proposed to turnout or sun topplicant also ag to if it becomes to pleted within on turnued in a con	work. This also applies ounding right-of-way we press that the City of Phonecessary without any concessary without any concessary without any concessary without and concessary without any concessary with a concessary with a concessary without any concessary without any concessary without any concessary with a concessary without any concessary	to any hazardous ithout obtaining a mix City or its compensation to the application or the oner until
8. 9, Signed	The applicant is responsible Alabama Department of En materials encountered durir The applicant shall not make permit from the Phenix contractors have the right to applicant. The turnout and related we permit becomes null and vecompletion.	e for conforming to vironmental Mass ig the construction is any additions or City Engineering or remove and/or re- remove and/or re-	o the regulations of agement (ADEM) for of the turnout, modifications to the Department. The acconstruct the turnout permit shall be come to be gun it shall be p	or the proposed to turnout or sun topplicant also ag to if it becomes to pleted within on turnued in a con	work. This also applies counding right-of-way w press that the City of Phe necessary without any co ne year from the date of	to any hazardous ithout obtaining a mix City or its compensation to the application or the oner until
8. 9. Signed Recomm	The applicant is responsible Alabama Department of En materials encountered durif The applicant shall not mal new permit from the Phenix contractors have the right to applicant. The turnout and related worpermit becomes null and vo completion.	e for conforming to vironmental Mass ig the construction is any additions or City Engineering or remove and/or re- remove and/or re-	o the regulations of agement (ADEM) for of the turnout, modifications to the Department. The acconstruct the turnout permit shall be come to be gun it shall be p	or the proposed to turnout or sun topplicant also ag to if it becomes to pleted within on turnued in a con	work. This also applies ounding right-of-way we press that the City of Phonecessary without any concessary without any concessary without any concessary without and concessary without any concessary with a concessary with a concessary without any concessary without any concessary without any concessary with a concessary without any concessary	to any hazardous rithout obtaining a enix City or its compensation to the application or the oner until



♠ PROFILE SECTION (NOT TO SCALE) 25'-0" 5'-0" TO 10'-0" RADIUS CURB VERTICAL CURVE +20% MAX. 占 RISE 0% GRADE -157 MAX. 6"DR 8"- 3000# PSI REINFORCED CONCRETE OR FIBERMESH REQUIRED TO TERMINUS OF DRIVEWAY RADIUS DRIVEWAY 20'-0" MIN. 30'-0" MAX. DRIVEWAY SHOULDER 2'-6" MIN. 17 4" x 17 4" DITCH-EXPANSION FLARE END OR SLOPED PAVED MUST USE RCP SECTIONS ROADWAY SHOULDER -S'-O" WIDE MIN. -EDGE OF PAVEMENT CROSS DRAIN PIPE 18" MIN. DIAMETER 2% MIN. SLOPE CENTER LINE OF ROAD COMMERCIAL DRIVEWAY WITH CURB RADIUS DITCH SECTION

PROFILE NOT TO SCALE

NOTES:

- DRIVEWAY SHALL BE CONSTRUCTED SO THAT STORM WATER DOES NOT ENTER OR EXIT THE ROADWAY.
- *EXISTING CURB & GUTTER SHALL BE SAWCUT AND REMOVED AS REQUIRED BY INSPECTOR. TO PREVENT DAMAGE TO EXISTING PAVEMENT AND CURB. ALL EDGES SHALL BE NEAT AND STRAIGHT. EXISTING CONCRETE SHALL BE SCARIFIED TO ENSURE PROPER BONDING.
- •A PERMIT IS REQUIRED TO CONSTRUCT A TURNOUT ON CITY RIGHT OF WAY. CONTACT THE PHENIX CITY ENGINEERING DEPARTMENT (448-2760).
- *LOCATE ALL UTILITIES PRIOR TO BEGINNING WORK. CALL ALA. LINE LOC. CENTER (1-800-292-8525) AND P.C. UTILITIES (448-2902).

DETAILS FOR COMMERCIAL TURNOUT (RURAL SECTION) RADIUS

PHENIX CITY ENGINEERING DEPT. 1111 BROAD ST., BLDG, B PHENIX CITY, ALABAMA 36867

DWG. NO.1	DATE:	9Y:
T0-100 D	12-6-93	BQ
10 100 0	REVISIONS:	
SCALE: N.T.S.	10-04-06 9-29-08	ABT ABT



									ريند، دو ۱۵	in City	<u>a</u>	3
									Engineering	Engineering Department		
									Inspecti	Inspection Form		
Date			=	Time		•••			Inspector	or e		
Rain Event		Rain	Rainfall (in.)	흿				Site	Site Name/Type			
ADEM Sign	Ш	Raiı	Rain Gauge Present	ge Pr	esen	+		Sit	Site Location			
ot #/Location OF	SF	: IP	TD	SP	L	CEP	CW	ECB			Notes	
	H		Ħ	Ħ								
	H											
	H		Ħ									
	H											
	H											
		H	Н									
	Н											
				H								
	H											
	H											
	H											
			H									
	H											
			Ħ									
	F	F	F	F								
: - Outfall SF - Silt Fence V - Concrete Washout EI))	e IP - Inlet Protection TD - ECB - Erosion Control Blanket	IP - Inlet Protection 3 - Erosion Control Bl	otectic	on T Blank		ash an	Trash and Debris		SP - Soil Pile/Bare Soil L - Land	L - Landscaping CEP - Construction Exit Pad	
General Comments	nme	ents										
City of Phenix City - Engineering 1206 7 th Ave., Phenix City, AL 36867	າeni /e.,	x City Pheni:	- Eng x City,	ineer , AL 3	ing 6867				Inspector's Signature	Signature		
1200 / AV	/e.,	le II.	x city	AL U	0007							



DRAINAGE AND ESC INSPECTON REPORT

Engineering Department

1206 7th Avenue, Phenix City, AL 36867 Office: (334) 448-2760 - Fax: (334) 291-4848

Pre-construction: _____ Mid-construction: _____

BAM	Post-construction:	_ Inspecti	on Date:	
Name/Company	Project Name			
Mailing Address	Site Address			
	Phone Number			
Engineer/Surveyor Name & E	mail Address			
	ed for any item below, the inspection	n fails. Comp	lete all item	ıs.
INSPECTI	ON QUESTIONS	PASS	FAIL	N/A
ESC plan in place for the lot/site	e that has been certified by a			
Professional Engineer/QCP				
			·	
If applicable, BMPs installed/m	aintained per ESC plan			
Lot/site drainage appears to m	atch drainage proposed on approved			
construction plans certified by	a Professional Engineer			
If lot/site is over 1 acre, ESC/La				
issued/applied for prior to distu	urbance			
		1	1	г
	ed for land disturbances, lot/site is in			
	Erosion Control Policy, Permit by Rule			
(Section IV.B)				
l , , , ,		1	ı	ı
Site appears to be drain away f	rom foundation(s)			
5	Control of the contro	T	I	Ι
Drainage appears to drain away	y from neighboring lots/sites			
Latinita maintaine OF ft buffer	for any surface waters	T	Ι	l
Lot/site maintains 25 ft. buffer	-	la a alc NI / A		
·	been approved for buffer variance, cl	neck N/A	I	<u> </u>
If inside buffer, permittee has b	Jeen approved for variance			
Clanas annoar to ahide hy slone	e limit in ESC Policy? (slope ≤ 3:1)	1	<u> </u>	
1	been approved for slope variance, ch	L nock N/Δ		
If steeper slope, permittee has			1	
ii steeper siope, periiittee nas	Pictures attached?			
Inspector's signature	rictures attached.	Date		
mapeetor a argundane		Date		
Corrective actions/notes:				
ADMINISTRATIVE USE ONLY	,			
Submitted to Engineering Date		oved by		
Submitted to Building Date		oved by		